

University of New Hampshire

## University of New Hampshire Scholars' Repository

---

NH Water Resources Research Center  
Scholarship

NH Water Resources Research Center

---

6-1-2002

### EFFECT OF SURFACE COATINGS AND IONIC STRENGTH ON BACTERIAL REMOVAL RATES IN POROUS MEDIA

Carl Bolster  
*University of New Hampshire*

Follow this and additional works at: [https://scholars.unh.edu/nh\\_wrrc\\_scholarship](https://scholars.unh.edu/nh_wrrc_scholarship)

---

#### Recommended Citation

Bolster, Carl, "EFFECT OF SURFACE COATINGS AND IONIC STRENGTH ON BACTERIAL REMOVAL RATES IN POROUS MEDIA" (2002). *NH Water Resources Research Center Scholarship*. 84.  
[https://scholars.unh.edu/nh\\_wrrc\\_scholarship/84](https://scholars.unh.edu/nh_wrrc_scholarship/84)

This Report is brought to you for free and open access by the NH Water Resources Research Center at University of New Hampshire Scholars' Repository. It has been accepted for inclusion in NH Water Resources Research Center Scholarship by an authorized administrator of University of New Hampshire Scholars' Repository. For more information, please contact [Scholarly.Communication@unh.edu](mailto:Scholarly.Communication@unh.edu).

## **EFFECT OF SURFACE COATINGS AND IONIC STRENGTH ON BACTERIAL REMOVAL RATES IN POROUS MEDIA**

*Principal Investigators: Dr. Carl Bolster, University of New Hampshire*

### *Problem and Research Objectives:*

The transport of pathogenic viruses and bacteria in the subsurface poses a potential threat to public health. Contamination of water supplies by fecal material is the most common source of waterborne pathogens. In the 1980's, the use of untreated ground water was responsible for 43% of waterborne disease outbreaks occurring in the U.S. In New England, greater than 96% of all drinking water supplies in violation of drinking water standards are contaminated with bacteria (USEPA 2000). Failing septic systems are considered by EPA to be one of the biggest problems today for New England water bodies and have been suggested as the source of bacterial contamination in surface waters of New Hampshire (Margolin and Jones 1991).

The prevention of microbial contamination of drinking water supplies and surface waters requires an understanding of the processes controlling microbial transport and removal within the subsurface. Among the most important factors shown to influence bacterial transport through porous media are ionic strength (e.g. Fontes 1991) and the presence of metal-oxyhydroxide coatings on sediment surfaces (e.g. Scholl, 1990 #62). In circumneutral pH waters, bacteria and quartz sand grains both exhibit a net negative charge leading to unfavorable conditions for bacterial attachment to sediment surfaces. Increasing ionic strength has been shown to increase this attachment by increasing van der Waals attractive forces. In addition to high ionic strength waters, the presence of metal-oxyhydroxide coatings has also been shown to result in greater attachment rates of bacteria to sediment surfaces owing to the charge reversal imparted by the oxyhydroxide coatings at circumneutral pH.

While numerous studies have been conducted looking at the effects of ionic strength and surface coatings independently on bacterial deposition rates, no systematic study yet exists looking at the combined effects of ionic strength and surface coatings on bacterial attachment rates. To better understand bacterial attachment and transport in NH aquifers, research needs to be conducted on the combined effects of high ionic strength waters and metal-coated sands. This project examines the effects of ionic strength on bacterial attachment rates to iron-coated sands.

### *Principal Findings and Significance:*

To date we have only collected and analyzed data from one set of column experiments. In numerous studies in the literature it has been observed that increasing ionic strength increases attachment of bacteria to clean quartz sand by increasing sticking efficiency. This enhanced attraction between two like-charged particles is a result of the compression of the double layer allowing attractive van der Waals forces to dominate. However, we observed opposite behavior of bacterial attachment to positively charged iron-coated sand. A clear log-linear decrease in sticking efficiency with increase in ionic strength was observed (figure 1). We plan on additional experiments to verify these findings.




Figure 1. Effect of increasing ionic strength on sticking efficiency of an *e. coli* isolate to iron-coated Unimin sand grains.