



2-2007

NH Department of Health and Human Services Public Health Laboratories Shellfish Program Activities January 2006 – December 2006

Peter C. Wikoff
New Hampshire Public Health Laboratories

Follow this and additional works at: <https://scholars.unh.edu/prep>



Part of the [Marine Biology Commons](#)

Recommended Citation

Wikoff, Peter C., "NH Department of Health and Human Services Public Health Laboratories Shellfish Program Activities January 2006 – December 2006" (2007). *PREP Reports & Publications*. 242.
<https://scholars.unh.edu/prep/242>

This Report is brought to you for free and open access by the Institute for the Study of Earth, Oceans, and Space (EOS) at University of New Hampshire Scholars' Repository. It has been accepted for inclusion in PREP Reports & Publications by an authorized administrator of University of New Hampshire Scholars' Repository. For more information, please contact Scholarly.Communication@unh.edu.

**NH DEPARTMENT OF HEALTH
AND HUMAN SERVICES
PUBLIC HEALTH LABORATORIES
SHELLFISH PROGRAM ACTIVITIES
JANUARY 2006 – DECEMBER 2006**

A Final Report to

The New Hampshire Estuaries Project

Submitted by

Peter C. Wikoff
Food Safety Microbiology Unit
New Hampshire Public Health Laboratories
29 Hazen Drive
Concord, NH 03301

February 2007



Table of Contents

Executive Summary	3
Introduction	3
Project Goals and Objectives	3
Methods	3
Results and Discussion	4
Conclusions	4
Recommendations	4
Appendix A: Shellfish Growing Water Results	
Appendix B: Shellfish Meats Results	
Appendix C: Paralytic Shellfish Poisoning Results	

Executive Summary

The Department of Health and Human Services-New Hampshire Public Health Laboratories (DHHS-NPHL) has continued to carry out various actions providing laboratory analyses for the routine water quality monitoring, "Red Tide" monitoring, and additional testing after rainfall, excess sewage treatment plant, and emergency events.

Introduction

The NPHL implemented selected actions to support the NH Estuaries Project Management Plan Implementation for 2006.

Project Goals and Objectives

The NH Estuaries Project Management Action Plan: SHL05. The NPHL assisted in the evaluation of the sanitary quality of the state's shellfish growing waters and shellfish meats by providing laboratory analyses for bacterial contamination, salinity, and pH. The data obtained is used to evaluate the sanitary quality of the state's shellfish waters.

The NH Estuaries Project Management Action Plan: SHL06. The NPHL supplemented efforts to monitor for the presence of Paralytic Shellfish Poisoning in the state's shellfish resources by providing laboratory analyses of several species of shellfish samples from several sites in coastal NH.

Methods

All laboratory analyses were conducted according to applicable FDA methods. All analyses met FDA-required Quality Assurance/Quality Control standards. All testing was performed using guidelines conforming to the National Shellfish Sanitation Program (NSSP). The NPHL implemented a split sample proficiency program that is nationwide in scope and designed specifically for analysis of fecal coliforms with levels in ranges important to the Shellfish Program. This is the only program of its kind and has the potential for use internationally.

The NPHL maintained a minimum of 6 full-time employees including support personnel to provide timely and accurate laboratory testing as needed throughout the calendar year. Mr. Wikoff, as part of the New England State Laboratory Evaluation Officers and Managers (NELEOM), participated in the FDA sponsored NELEOM conference calls. The purpose of the calls is to maintain uniformity and update laboratory standard methods and policies to promote and enhance application of laboratory procedures pertaining to shellfish bacteriological and biotoxin testing and procedures of the National Shellfish Sanitation Program.

The NHPHL maintained and provided all analytical results in hard copy to the DES Shellfish Program for inclusion in their final report to NHEP. Data is available to any cooperating agency upon request and is included in the appendices of this report.

Results and Discussion

119 extra seawater samples were received and processed above what was originally mutually approved.

Shellfish Water Monitoring: Bacterial Analyses. The NHPHL received and tested 868 shellfish growing water samples in 2006.

Shellfish Meat Testing: Bacterial Analyses. The NHPHL received and tested 91 shellfish meats in 2006.

Shellfish Water Monitoring: PSP Analyses. The NHPHL received and tested 61 shellfish tissue samples for PSP toxin in 2006.

Conclusions

All aspects of the DHHS-NHPHL portion of the Management Plan were carried out. All samples received were tested.

Recommendations

The upcoming year will include providing continued laboratory analyses for the presence of PSP and for providing continued laboratory analyses of shellfish growing water samples for fecal coliform bacteria, and assisting in evaluating the sanitary quality of the state's shellfish by performing shellfish meat fecal coliform testing on samples taken during dry and wet weather conditions.

**LABORATORY ANALYSES OF WATER AND SHELLFISH FROM
COASTAL WATERS AND WATERSHED OF NEW HAMPSHIRE**

New Hampshire Public Health Laboratories

Appendix A

NH PUBLIC HEALTH LABORATORIES

2006 SEAWATER SAMPLES

Collection Point	Lab #	Collection		Test		MPN	Salinity	pH
		Date	Time	Date	Time			
HHHR1	1	1/3/2006	8:55	1/3/2006	12:35	33	29	7.67
LHWM1	2	1/3/2006	8:55	1/3/2006	14:00	11	24	7.70
BRRC1	3	1/3/2006	9:25	1/3/2006	14:00	130	12	7.65
BRRC1	4	1/9/2006	12:20	1/9/2006	13:10	13	16	7.65
BRRC1	5	1/17/2006	9:14	1/17/2006	10:45	130	15	7.21
HHHR1	6	1/24/2006	10:30	1/24/2006	13:50	4	30	7.76
LHWM1	7	1/24/2006	11:15	1/24/2006	13:50	<2	27	7.77
BRRC1	8	1/24/2006	12:45	1/24/2006	13:50	7.8	14	7.76
WNCLMN	9	2/1/2006	8:45	2/1/2006	10:30	32	28	7.82
T6	10	2/1/2006	8:53	2/1/2006	10:30	17	28	7.76
LHB13	11	2/1/2006	9:02	2/1/2006	10:30	14	29	7.78
WLLWS	12	2/1/2006	9:25	2/1/2006	10:30	110	30	7.73
HMTNDK	13	2/1/2006	9:35	2/1/2006	10:30	33	31	7.72
SBKTDK	14	2/1/2006	9:40	2/1/2006	10:30	23	31	7.69
GBSP1	15	2/6/2006	8:21	2/6/2006	13:30	33	11	7.02
CHMNL	16	2/6/2006	8:33	2/6/2006	13:30	33	4	7.32
ADMSPT	17	2/6/2006	8:55	2/6/2006	13:30	33	16	7.40
CDRPT	18	2/6/2006	9:15	2/6/2006	13:30	23	18	7.52
GB2	19	2/6/2006	9:18	2/6/2006	13:30	49	16	7.41
HLTPT	20	2/6/2006	9:25	2/6/2006	13:30	13	19	7.60
GBMARN	21	2/6/2006	9:36	2/6/2006	13:30	46	20	7.63
LHWM1	22	2/6/2006	11:10	2/6/2006	13:30	2	26	7.83
HHHR1	23	2/6/2006	11:44	2/6/2006	13:30	49	17	7.64
HHWL1	24	2/6/2006	12:10	2/6/2006	13:30	240	13	7.54
LHWM1	25	2/7/2006	10:48	2/7/2006	13:54	2	26	7.71
HHHR1	26	2/7/2006	11:30	2/7/2006	13:54	<2	30	7.78
HHWL1	27	2/7/2006	11:57	2/7/2006	13:54	27	19	7.63
GBSP1	28	2/7/2006	13:03	2/7/2006	13:54	79	10	7.60
BRRC1	29	2/7/2006	12:33	2/7/2006	13:54	49	16	7.63
GBSP1	30	2/9/2006	7:14	2/9/2006	10:00	49	4	6.98
CHLDG	31	2/9/2006	7:27	2/9/2006	10:00	17	0	7.3
ADMPT	32	2/9/2006	7:47	2/9/2006	10:00	130	14	7.32
CDRPT	33	2/9/2006	6:38	2/9/2006	10:00	21	14	7.43
GB2	34	2/9/2006	6:32	2/9/2006	10:00	7.8	15	7.45
HLTNP	35	2/9/2006	6:45	2/9/2006	10:00	33	14	7.46
GBMRN	36	2/9/2006	6:57	2/9/2006	10:00	23	16	7.54
GB25A	37	2/13/2006	7:05	2/13/2006	13:00	6.8	18	7.72
GB25B	38	2/13/2006	9:07	2/13/2006	13:00	6.8	20	7.64
GB17	39	2/13/2006	9:12	2/13/2006	13:00	17	17	7.6
GB2	40	2/13/2006	9:16	2/13/2006	13:00	11	16	7.59
GB19	41	2/13/2006	9:56	2/13/2006	13:00	13	18	7.62

NH PUBLIC HEALTH LABORATORIES

2006 SEAWATER SAMPLES

Collection Point	Lab #	Collection		Test		MPN	Salinity	pH
		Date	Time	Date	Time			
GB50	42	2/13/2006	10:02	2/13/2006	13:00	7.8	16	7.44
GB6A	43	2/13/2006	10:11	2/13/2006	13:00	7.8	16	7.63
GB6B	44	2/13/2006	10:15	2/13/2006	13:00	4	16	7.57
GB7A	45	2/13/2006	10:17	2/13/2006	13:00	17	15	7.63
GB4A	46	2/13/2006	10:55	2/13/2006	13:00	17	15	7.56
GB5	47	2/13/2006	11:05	2/13/2006	13:00	7.8	15	7.61
GBAP1	48	2/13/2006	10:40	2/13/2006	13:00	7.8	14	7.57
HH31	49	2/15/2006	10:03	2/15/2006	12:15	23	26	7.53
HH30	50	2/15/2006	10:06	2/15/2006	12:15	13	30	7.67
HH33	51	2/15/2006	9:54	2/15/2006	12:15	13	22	7.66
HH34	52	2/15/2006	9:58	2/15/2006	12:15	9.2	29	7.68
HH5B	53	2/15/2006	10:10	2/15/2006	12:15	4.5	32	7.76
HH5C	54	2/15/2006	9:46	2/15/2006	12:15	2	33	7.84
HH10	55	2/15/2006	9:45	2/15/2006	12:15	4	33	7.85
HH11	56	2/15/2006	9:43	2/15/2006	12:15	4	32	7.80
HH12	57	2/15/2006	9:13	2/15/2006	12:15	7.8	32	7.84
HH35	58	2/15/2006	9:15	2/15/2006	12:15	7.8	31	7.84
HH19	59	2/15/2006	9:23	2/15/2006	12:15	4.5	32	7.85
HH2B	60	2/15/2006	9:25	2/15/2006	12:15	7.8	32	7.87
HH36	61	2/15/2006	9:28	2/15/2006	12:15	17	28	7.91
HH37	62	2/15/2006	9:30	2/15/2006	12:15	2	25	7.7
HH18	63	2/15/2006	9:38	2/15/2006	12:15	11	32	7.81
HH1A	64	2/15/2006	9:41	2/15/2006	12:15	2	32	7.87
HH38	65	2/15/2006	9:56	2/15/2006	12:15	70	26	7.94
T7	66	2/16/2006	9:05	2/16/2006	13:00	4.5	1	6.48
T14	67	2/16/2006	9:08	2/16/2006	13:00	7.8	21	7.29
LHB5	68	2/16/2006	9:27	2/16/2006	13:00	33	24	7.61
LHB16	69	2/16/2006	9:30	2/16/2006	13:00	23	25	7.72
LHB8	70	2/16/2006	9:32	2/16/2006	13:00	23	27	7.77
LHB13	71	2/16/2006	9:37	2/16/2006	13:00	6.8	29	7.72
LHB6	72	2/16/2006	9:39	2/16/2006	13:00	13	29	7.82
LHB2	73	2/16/2006	9:42	2/16/2006	13:00	4.5	29	7.86
LHB1	74	2/16/2006	9:44	2/16/2006	13:00	11	29	7.82
BRRC1	75	2/21/2006	11:04	2/21/2006	12:43	1.8	19	7.43
AC1A	76	2/22/2006	10:13	2/22/2006	11:25	<2	33	7.62
AC3	77	2/22/2006	9:55	2/22/2006	11:25	<2	34	7.76
AC3A	78	2/22/2006	9:51	2/22/2006	11:25	<2	34	7.74
AC4D	79	2/22/2006	9:42	2/22/2006	11:25	4	34	7.78
AC10	80	2/22/2006	9:34	2/22/2006	11:25	<2	32	7.78
AC5A	81	2/22/2006	9:29	2/22/2006	11:25	<2	34	7.81
AC6G	82	2/22/2006	9:07	2/22/2006	11:25	6.8	32	7.88
AC7B	83	2/22/2006	9:01	2/22/2006	11:25	4.5	32	7.88
AC8	84	2/22/2006	8:52	2/22/2006	11:25	26	32	7.95
RH1	85	2/22/2006	9:21	2/22/2006	11:25	<2	24	7.87
RH2	86	2/22/2006	9:17	2/22/2006	11:25	<2	30	7.75
RH3	87	2/22/2006	9:15	2/22/2006	11:25	1.8	32	7.85

NH PUBLIC HEALTH LABORATORIES

2006 SEAWATER SAMPLES

Collection Point	Lab #	Collection		Test		MPN	Salinity	pH
		Date	Time	Date	Time			
T7	88	3/6/2006	7:16	3/6/2006	11:00	49	6	6.58
T14	89	3/6/2006	7:20	3/6/2006	11:00	6.8	30	7.49
LHB5	90	3/6/2006	8:39	3/6/2006	11:00	<2	31	7.70
LHB16	91	3/6/2006	8:18	3/6/2006	11:00	2	31	7.69
LHB8	92	3/6/2006	8:21	3/6/2006	11:00	4.5	31	7.79
LHB13	93	3/6/2006	8:25	3/6/2006	11:00	7.8	31	7.79
LHB6	94	3/6/2006	8:28	3/6/2006	11:00	11	31	7.70
LHB2	95	3/6/2006	8:30	3/6/2006	11:00	11	32	7.73
LHB1	96	3/6/2006	8:32	3/6/2006	11:00	6.8	31	7.75
GB18	97	3/13/2006	9:41	3/13/2006	12:50	<2	30	7.98
GBA11.5	98	3/13/2006	9:45	3/13/2006	12:50	<2	29	7.92
GBA10	99	3/13/2006	9:48	3/13/2006	12:50	<2	19	7.92
GH25A	100	3/13/2006	9:36	3/13/2006	12:50	2	29	7.90
GB25B	101	3/13/2006	9:34	3/13/2006	12:50	1.8	29	7.90
GB17	102	3/13/2006	10:06	3/13/2006	12:50	2	26	7.90
GB25B	103	3/13/2006	10:09	3/13/2006	12:50	2	27	7.94
GB34	104	3/13/2006	10:12	3/13/2006	12:50	2	25	7.95
GB33	105	3/13/2006	10:15	3/13/2006	12:50	2	25	7.88
GB19	106	3/13/2006	10:25	3/13/2006	12:50	2	28	7.92
GB50	107	3/13/2006	10:32	3/13/2006	12:50	4	26	7.95
GB7A	108	3/13/2006	10:40	3/13/2006	12:50	<2	26	7.94
GB7C	109	3/13/2006	10:43	3/13/2006	12:50	4.5	23	7.93
GB4A	110	3/13/2006	10:49	3/13/2006	12:50	13	25	7.88
GB81	111	3/13/2006	10:51	3/13/2006	12:50	17	24	7.88
GB5	112	3/13/2006	10:56	3/13/2006	12:50	4.5	26	7.94
GB16	113	3/13/2006	10:57	3/13/2006	12:50	4.5	25	7.96
GB82	114	3/13/2006	10:54	3/13/2006	12:50	<2	23	7.97
GB83	115	3/13/2006	11:04	3/13/2006	12:50	2	24	7.92
GB83A	116	3/13/2006	11:06	3/13/2006	12:50	2	22	7.89
GB84	117	3/13/2006	11:10	3/13/2006	12:50	<2	23	7.88
GB6A	118	3/13/2006	10:36	3/13/2006	12:50	2	25	7.94
GB21	119	3/13/2006	9:54	3/13/2006	12:50	2	19	7.97
GB22	120	3/13/2006	9:56	3/13/2006	12:50	1.8	15	7.94
GB6B	121	3/13/2006	10:38	3/13/2006	12:50	2	25	7.89
HHHR1	122	3/15/2006	9:17	3/15/2006	12:45	2	33	7.8
HHMG1	123	3/15/2006	9:29	3/15/2006	12:45	<2	32	7.83
HHWL1	124	3/15/2006	9:38	3/15/2006	12:45	13	32	7.88
LHWM1	125	3/15/2006	8:30	3/15/2006	12:45	6.8	31	7.90
T13	126	3/15/2006	8:41	3/15/2006	12:45	6.8	32	7.88
T14	127	3/15/2006	8:50	3/15/2006	12:45	6.8	30	7.88
LHB5	128	3/21/2006	9:46	3/21/2006	13:00	4.5	29	7.77
LHB16	129	3/21/2006	9:49	3/21/2006	13:00	2	29	7.84
LHB8	130	3/21/2006	9:52	3/21/2006	13:00	<2	30	7.86
LHB13	131	3/21/2006	9:56	3/21/2006	13:00	<2	30	7.89
LHB6	132	3/21/2006	9:58	3/21/2006	13:00	4.5	31	7.90
LHB2	133	3/21/2006	10:02	3/21/2006	13:00	2	31	7.90
LHB1	134	3/21/2006	10:06	3/21/2006	13:00	2	31	7.90

NH PUBLIC HEALTH LABORATORIES

2006 SEAWATER SAMPLES

Collection Point	Lab #	Collection		Test		MPN	Salinity	pH
		Date	Time	Date	Time			
T7	135	3/21/2006	9:19	3/21/2006	13:00	13	2	7.58
T14	136	3/21/2006	9:21	3/21/2006	13:00	2	20	7.62
HH31	137	3/22/2006	8:00	3/22/2006	10:50	17	23	7.58
HH30	138	3/22/2006	7:58	3/22/2006	10:50	<2	30	7.75
HH33	139	3/22/2006	7:50	3/22/2006	10:50	<2	25	7.62
HH34	140	3/22/2006	7:54	3/22/2006	10:50	4.5	29	7.77
HH5B	141	3/22/2006	8:05	3/22/2006	10:50	2	32	7.88
HH5C	142	3/22/2006	8:07	3/22/2006	10:50	2	32	7.92
HH10	143	3/22/2006	8:09	3/22/2006	10:50	4.5	32	7.92
HH11	144	3/22/2006	8:10	3/22/2006	10:50	23	32	7.97
HH12	145	3/22/2006	8:12	3/22/2006	10:50	2	33	7.94
HH35	146	3/22/2006	8:15	3/22/2006	10:50	4.5	32	7.89
HH19	147	3/22/2006	8:20	3/22/2006	10:50	<2	33	7.92
HH2B	148	3/22/2006	8:22	3/22/2006	10:50	2	32	7.94
HH36	149	3/22/2006	8:25	3/22/2006	10:50	2	32	7.90
HH37	150	3/22/2006	8:28	3/22/2006	10:50	<2	31	7.90
HH18	151	3/22/2006	8:45	3/22/2006	10:50	4.5	33	7.98
HH1A	152	3/22/2006	8:49	3/22/2006	10:50	13	32	7.98
HH38	153	3/22/2006	7:52	3/22/2006	10:50	<2	28	7.89
HH31	154	3/27/2006	9:26	3/27/2006	13:00	<2	33	7.99
HH30	155	3/27/2006	9:22	3/27/2006	13:00	<2	33	7.92
HH33	156	3/27/2006	9:14	3/27/2006	13:00	2	33	7.96
HH34	157	3/27/2006	9:09	3/27/2006	13:00	<2	33	7.93
HH5B	158	3/27/2006	9:01	3/27/2006	13:00	2	33	7.94
HH5C	159	3/27/2006	8:59	3/27/2006	13:00	<2	33	7.95
HH10	160	3/27/2006	8:57	3/27/2006	13:00	<2	33	7.92
HH11	161	3/27/2006	8:55	3/27/2006	13:00	<2	33	7.92
HH12	162	3/27/2006	9:40	3/27/2006	13:00	<2	33	7.92
HH35	163	3/27/2006	9:43	3/27/2006	13:00	4.5	33	7.96
HH19	164	3/27/2006	8:51	3/27/2006	13:00	<2	33	7.93
HH2B	165	3/27/2006	8:37	3/27/2006	13:00	<2	33	7.96
HH36	166	3/27/2006	8:42	3/27/2006	13:00	<2	33	7.94
HH37	167	3/27/2006	8:46	3/27/2006	13:00	<2	33	7.92
HH18	168	3/27/2006	8:34	3/27/2006	13:00	<2	33	7.87
HH1A	169	3/27/2006	8:30	3/27/2006	13:00	<2	34	7.94
HH38	170	3/27/2006	9:12	3/27/2006	13:00	<2	33	7.95
HHMG1	171	3/28/2006	14:36	3/29/2006	11:00	<2	33	7.84
HHBW1	172	3/28/2006	15:09	3/29/2006	11:00	<2	33	7.9
AC1A	173	3/29/2006	9:38	3/29/2006	11:00	<2	33	7.89
AC3	174	3/29/2006	9:27	3/29/2006	11:00	<2	33	7.89
AC3A	175	3/29/2006	9:22	3/29/2006	11:00	<2	33	7.88
AC4D	176	3/29/2006	9:45	3/29/2006	11:00	<2	33	7.88
AC10	177	3/29/2006	9:06	3/29/2006	11:00	<2	33	7.88
AC5A	178	3/29/2006	9:03	3/29/2006	11:00	2	32	7.86
AC6G	179	3/29/2006	8:53	3/29/2006	11:00	<2	33	7.95
AC7B	180	3/29/2006	8:47	3/29/2006	11:00	<2	33	7.90

NH PUBLIC HEALTH LABORATORIES

2006 SEAWATER SAMPLES

Collection Point	Lab #	Collection		Test		MPN	Salinity	pH
		Date	Time	Date	Time			
AC8	181	3/29/2006	8:38	3/29/2006	11:00	6.8	30	8.03
GBBR1	182	3/28/2006	15:58	3/29/2006	11:00	<2	25	8:05
LHB5	183	4/3/2006	7:35	4/3/2006	13:00	4.5	31	7.62
LHB16	184	4/3/2006	7:39	4/3/2006	13:00	7.8	31	7.83
LHB8	185	4/3/2006	7:43	4/3/2006	13:00	<2	31	7.93
LHB13	186	4/3/2006	7:48	4/3/2006	13:00	9.3	32	7.96
LHB6	187	4/3/2006	7:51	4/3/2006	13:00	6.8	32	7.91
LHB2	188	4/3/2006	7:54	4/3/2006	13:00	2	32	7.96
LHB1	189	4/3/2006	7:56	4/3/2006	13:00	13	32	7.9
T7	190	4/3/2006	8:27	4/3/2006	13:00	110	8	7.92
T14	191	4/3/2006	8:35	4/3/2006	13:00	33	27	7.73
AC1A	192	4/5/2006	8:48	4/5/2006	13:15	<2	33	7.56
AC3	193	4/5/2006	9:01	4/5/2006	13:15	2	33	7.83
AC3A	194	4/5/2006	9:05	4/5/2006	13:15	<2	33	7.85
AC4D	195	4/5/2006	9:15	4/5/2006	13:15	<2	32	7.87
AC10	196	4/5/2006	9:24	4/5/2006	13:15	4	33	7.92
AC5A	197	4/5/2006	9:28	4/5/2006	13:15	2	33	7.80
AC6G	198	4/5/2006	9:42	4/5/2006	13:15	4.5	32	7.94
AC7B	199	4/5/2006	9:47	4/5/2006	13:15	4.5	33	7.92
AC8	200	4/5/2006	9:58	4/5/2006	13:15	1.8	33	8:03
LHWM1	201	4/5/2006	10:20	4/5/2006	13:15	1.8	32	7.84
BRR1	202	4/5/2006	12:15	4/5/2006	13:15	23	26	7.96
HHR1	203	4/9/2006	14:30	4/10/2006	9:30	<2	29	7.69
LHWM1	204	4/10/2006	6:25	4/10/06	12:45	4.5	26	7.91
GBSP1	205	4/10/2006	8:00	4/10/2006	12:45	49	15	8.02
BRR1	206	4/10/2006	7:05	4/10/2006	12:45	23	10	8.02
GB2	207	4/11/2006	6:05	4/11/2006	9:50	23	16	7.89
ADMSPT	208	4/11/2006	6:23	4/11/2006	9:50	4.5	19	8.07
HLTNP	209	4/11/2006	6:45	4/11/2006	9:50	6.8	22	8.07
T13	210	4/11/2006	7:03	4/11/2006	9:50	6.8	29	7.97
T14	211	4/11/2006	7:11	4/11/2006	9:50	79	26	8.00
HMPTDK	212	4/11/2006	8:23	4/11/2006	9:50	<2	32	8.09
SBK	213	4/11/2006	8:00	4/11/2006	9:50	4.5	30	8.03
BRR1	214	4/12/2006	13:32	4/13/2006	7:55	2	21	8.10
ADMSPT	215	4/12/2006	13:55	4/13/2006	7:55	1.8	20	8.27
GBSP1	216	4/12/2006	14:25	4/13/2006	7:55	2	18	8.31
GB18	217	4/19/2006	10:03	4/19/2006	13:15	6.8	25	7.81
.GBA11.5	218	4/19/2006	9:38	4/19/2006	13:15	2	20	7.82
GBA10	219	4/19/2006	9:40	4/19/2006	13:15	11	18	7.88

NH PUBLIC HEALTH LABORATORIES

2006 SEAWATER SAMPLES

Collection Point	Lab #	Collection		Test		MPN	Salinity	pH
		Date	Time	Date	Time			
GB21	220	4/19/2006	9:49	4/19/2006	13:15	23	10	7.79
GB22	221	4/19/2006	9:51	4/19/2006	13:15	7.8	10	7.78
GB25A	222	4/19/2006	9:37	4/19/2006	13:15	<2	26	7.99
GB25B	223	4/19/2006	9:35	4/19/2006	13:15	<2	25	7.88
GB17	224	4/19/2006	9:33	4/19/2006	13:15	<2	25	8.00
GB2	225	4/19/2006	9:23	4/19/2006	13:15	1.8	23	7.94
GB34	226	4/19/2006	9:25	4/19/2006	13:15	11	21	7.94
GB33	227	4/19/2006	9:27	4/19/2006	13:15	11	20	7.89
GB19	228	4/19/2006	9:21	4/19/2006	13:15	2	24	7.96
GB50	229	4/19/2006	9:19	4/19/2006	13:15	2	23	7.99
GB6A	230	4/19/2006	9:12	4/19/2006	13:15	4.5	23	7.99
GB6B	231	4/19/2006	9:10	4/19/2006	13:15	2	23	7.97
GB7A	232	4/19/2006	9:07	4/19/2006	13:15	7.8	23	8.00
GB7C	233	4/19/2006	9:05	4/19/2006	13:15	<2	22	7.96
GB4A	234	4/19/2006	8:52	4/19/2006	13:15	46	18	7.85
GB81	235	4/19/2006	8:55	4/19/2006	13:15	7.8	13	7.81
GB5	236	4/19/2006	8:47	4/19/2006	13:15	1.8	22	7.87
GB16	237	4/19/2006	8:44	4/19/2006	13:15	<2	22	7.95
GB82	238	4/19/2006	8:30	4/19/2006	13:15	2	20	7.87
GB83	239	4/19/2006	8:35	4/19/2006	13:15	<2	21	7.91
GB83A	240	4/19/2006	8:37	4/19/2006	13:15	2	22	7.88
GB84	241	4/19/2006	8:41	4/19/2006	13:15	4.5	21	7.94
HH31	242	4/24/2006	9:13	4/24/06	12:45	2	32	8.02
HH30	243	4/24/2006	9:45	4/24/06	12:45	<2	32	8.05
HH33	244	4/24/2006	9:33	4/24/06	12:45	11	32	7.94
HH34	245	4/24/2006	9:26	4/24/06	12:45	4.5	32	8.03
HH38	246	4/24/2006	9:30	4/24/06	12:45	<2	32	8.06
HH5B	247	4/24/2006	9:48	4/24/06	12:45	<2	32	8.02
HH5C	248	4/24/2006	9:50	4/24/06	12:45	<2	32	8.06
HH10	249	4/24/2006	9:52	4/24/06	12:45	<2	32	8.07
HH11	250	4/24/2006	9:54	4/24/06	12:45	<2	32	8.08
HH12	251	4/24/2006	9:57	4/24/06	12:45	1.8	32	8.08
HH35	252	4/24/2006	10:00	4/24/06	12:45	2	32	8.02
HH19	253	4/24/2006	10:05	4/24/06	12:45	49	32	8.03
HH2B	254	4/24/2006	10:07	4/24/06	12:45	<2	32	8.08
HH36	255	4/24/2006	10:11	4/24/06	12:45	<2	32	8.06
HH37	256	4/24/2006	10:13	4/24/06	12:45	4.5	32	7.93
HH18	257	4/24/2006	10:22	4/24/06	12:45	2	32	7.99
HH1A	258	4/24/2006	10:25	4/24/06	12:45	2	32	8.01
LHB13	259	4/25/2006	13:35	4/26/06	7:45	2	31	7.97
LHWM1	260	4/25/2006	14:15	4/26/06	7:45	2	32	7.99
LHSG1	261	4/25/2006	14:05	4/26/06	7:45	<2	32	8.03
HHHR1	262	4/25/2006	14:15	4/26/06	7:45	4.5	32	7.97
HBBW1	263	4/25/2006	14:47	4/26/06	7:45	<2	32	8.01
GB18	264	5/3/2006	9:22	5/3/06	12:30	13	28	7.93
GBA11.5	265	5/3/2006	8:58	5/3/06	12:30	49	21	7.88
GBA10	266	5/3/2006	9:00	5/3/06	12:30	49	14	7.78

NH PUBLIC HEALTH LABORATORIES

2006 SEAWATER SAMPLES

Collection Point	Lab #	Collection		Test		MPN	Salinity	pH
		Date	Time	Date	Time			
GB21	267	5/3/2006	9:07	5/3/06	12:30	240	6	7.72
GB22	268	5/3/2006	9:10	5/3/06	12:30	350	7	7.52
GB25A	269	5/3/2006	8:55	5/3/06	12:30	22	28	7.92
GB25B	270	5/3/2006	8:54	5/3/06	12:30	13	27	7.96
GB17	271	5/3/2006	8:51	5/3/06	12:30	33	28	7.97
GB2	272	5/3/2006	8:40	5/3/06	12:30	79	21	7.81
GB34	273	5/3/2006	8:43	5/3/06	12:30	240	18	7.72
GB33	274	5/3/2006	8:45	5/3/06	12:30	240	9	7.44
GB19	275	5/3/2006	8:36	5/3/06	12:30	13	26	7.94
GB50	276	5/3/2006	8:34	5/3/06	12:30	350	17	7.82
GB6A	277	5/3/2006	8:30	5/3/06	12:30	<2	25	7.94
GB6B	278	5/3/2006	8:26	5/3/06	12:30	6.8	25	7.92
GB7A	279	5/3/2006	8:25	5/3/06	12:30	<2	25	7.88
GB7C	280	5/3/2006	8:20	5/3/06	12:30	6.8	23	7.85
GB4A	281	5/3/2006	7:45	5/3/06	12:30	13	21	7.85
GB81	282	5/3/2006	7:41	5/3/06	12:30	7.8	19	7.82
GB5	283	5/3/2006	7:49	5/3/06	12:30	<2	24	7.93
GB16	284	5/3/2006	7:53	5/3/06	12:30	1600	20	7.78
GB82	285	5/3/2006	8:00	5/3/06	12:30	350	13	7.51
GB83	286	5/3/2006	8:04	5/3/06	12:30	1600	22	7.84
GB83A	287	5/3/2006	8:06	5/3/06	12:30	>1600	16	7.66
GB84	288	5/3/2006	8:11	5/3/06	12:30	4.5	24	7.85
AC1A	289	5/8/2006	9:29	5/8/2006	11:50	2	32	7.99
AC3	290	5/8/2006	9:14	5/8/2006	11:50	<2	32	7.96
AC3A	291	5/8/2006	9:09	5/8/2006	11:50	<2	32	7.97
AC4D	292	5/8/2006	9:02	5/8/2006	11:50	<2	32	7.99
AC10	293	5/8/2006	8:56	5/8/2006	11:50	<2	32	7.94
AC5A	294	5/8/2006	8:52	5/8/2006	11:50	4.5	31	7.96
AC6G	295	5/8/2006	8:42	5/8/2006	11:50	27	31	7.94
AC7B	296	5/8/2006	8:37	5/8/2006	11:50	4.5	31	7.97
AC8	297	5/8/2006	8:29	5/8/2006	11:50	<2	30	8.17
HH5C	298	5/8/2006	13:36	5/9/2006	8:00	<2	26	7.94
HH10	299	5/8/2006	13:35	5/9/2006	8:00	<2	27	7.96
HH11	300	5/8/2006	13:19	5/9/2006	8:00	<2	28	7.96
HH12	301	5/8/2006	13:17	5/9/2006	8:00	<2	29	7.95
HH35	302	5/8/2006	13:15	5/9/2006	8:00	<2	28	7.91
HH19	303	5/8/2006	13:29	5/9/2006	8:00	<2	28	7.85
HH2B	304	5/8/2006	13:30	5/9/2006	8:00	<2	27	7.90
HH18	305	5/8/2006	13:23	5/9/2006	8:00	<2	31	8.00
HH1A	306	5/8/2006	13:21	5/9/2006	8:00	<2	29	8.02
HHHR1	307	5/8/2006	13:38	5/9/2006	8:00	2	27	7.96
GBN1	308	5/9/2006	9:25	5/9/2006	12:40	<2	19	7.68
GB25A	309	5/9/2006	10:34	5/9/2006	12:40	4	26	7.90
GB25B	310	5/9/2006	10:31	5/9/2006	12:40	4.5	28	7.94
GB17	311	5/9/2006	10:28	5/9/2006	12:40	2	25	7.94
GB2	312	5/9/2006	10:17	5/9/2006	12:40	<2	22	7.91
GB34	313	5/9/2006	10:20	5/9/2006	12:40	2	20	7.76

NH PUBLIC HEALTH LABORATORIES

2006 SEAWATER SAMPLES

Collection Point	Lab #	Collection		Test		MPN	Salinity	pH
		Date	Time	Date	Time			
GB33	314	5/9/2006	10:22	5/9/2006	12:40	11	19	7.85
GB19	315	5/9/2006	10:15	5/9/2006	12:40	4.5	23	7.85
GB50	316	5/9/2006	10:11	5/9/2006	12:40	2	22	7.91
GB6A	317	5/9/2006	10:07	5/9/2006	12:40	<2	21	7.89
GB7A	318	5/9/2006	10:04	5/9/2006	12:40	<2	21	7.80
GB7C	319	5/9/2006	10:00	5/9/2006	12:40	4.5	19	7.94
GB4A	320	5/9/2006	9:47	5/9/2006	12:40	6.8	20	7.89
GB5	321	5/9/2006	9:32	5/9/2006	12:40	<2	20	7.89
GB16	322	5/9/2006	9:35	5/9/2006	12:40	<2	19	7.88
GB82	323	5/9/2006	9:37	5/9/2006	12:40	7.8	17	7.72
LHB5	324	5/18/2006	8:24	5/18/2006	11:00	540	13	7.56
LHB16	325	5/18/2006	8:26	5/18/2006	11:00	540	15	7.69
LHB8	326	5/18/2006	8:28	5/18/2006	11:00	540	8	7.46
LHB13	327	5/18/2006	8:32	5/18/2006	11:00	1600	12	7.57
LHB6	328	5/18/2006	8:34	5/18/2006	11:00	540	14	7.46
LHB2	329	5/18/2006	8:37	5/18/2006	11:00	350	15	7.63
LHB1	330	5/18/2006	8:38	5/18/2006	11:00	920	14	7.51
T7	331	5/18/2006	7:28	5/18/2006	11:00	49	0	7.13
T14	332	5/18/2006	7:35	5/18/2006	11:00	350	5	6.85
HHR1	333	5/22/2006	12:30	5/22/2006	13:35	7.8	25	7.84
LHSG1	334	5/22/2006	13:15	5/23/2006	11:00	11	24	7.91
LHWM1	335	5/22/2006	13:20	5/23/2006	11:00	6.8	25	7.92
LBOY1	336	5/23/2006	7:35	5/23/2006	12:30	4.5	10	7.69
GBSP1	337	5/23/2006	15:19	5/24/2006	9:00	49	2	6.96
BRRC1	338	5/23/2006	14:51	5/24/2006	9:00	13	11	7.66
HH31	339	5/24/2006	9:24	5/24/2006	13:30	14	28	7.88
HH30	340	5/24/2006	9:22	5/24/2006	13:30	<2	30	7.98
HH33	341	5/24/2006	9:15	5/24/2006	13:30	23	26	7.87
HH34	342	5/24/2006	9:11	5/24/2006	13:30	<2	31	7.94
HH38	343	5/24/2006	9:13	5/24/2006	13:30	14	26	7.87
HH5B	344	5/24/2006	9:05	5/24/2006	13:30	<2	32	7.98
HH5C	345	5/24/2006	9:03	5/24/2006	13:30	1.8	32	7.99
HH10	346	5/24/2006	9:00	5/24/2006	13:30	<2	31	7.99
HH11	347	5/24/2006	8:58	5/24/2006	13:30	<2	32	7.96
HH12	348	5/24/2006	9:31	5/24/2006	13:30	1.8	32	7.98
HH35	349	5/24/2006	9:34	5/24/2006	13:30	<2	32	7.94
HH19	350	5/24/2006	9:39	5/24/2006	13:30	<2	31	8:00
HH2B	351	5/24/2006	9:41	5/24/2006	13:30	<2	30	7.99
HH36	352	5/24/2006	9:44	5/24/2006	13:30	<2	31	7.99
HH37	353	5/24/2006	9:46	5/24/2006	13:30	4.5	31	7.99
HH18	354	5/24/2006	9:53	5/24/2006	13:30	2	30	7.93
HH1A	355	5/24/2006	8:54	5/24/2006	13:30	4	31	8:00
LHSG1	356	5/30/2006	8:45	5/30/2006	12:10	4.5	28	7.91

NH PUBLIC HEALTH LABORATORIES

2006 SEAWATER SAMPLES

Collection Point	Lab #	Collection		Test		MPN	Salinity	pH
		Date	Time	Date	Time			
LHWM1	357	5/30/2006	8:40	5/30/2006	12:10	33	29	7.97
BRR1	358	5/30/2006	9:54	5/30/2006	12:10	130	18	7.72
GBSP1	359	5/30/2006	10:35	5/30/2006	12:10	23	11	7.85
GB25A	360	5/31/2006	8:45	6/1/2006	7:30	2	21	7.83
GB25B	361	5/31/2006	8:43	6/1/2006	7:30	4.5	21	7.85
GB17	362	5/31/2006	8:40	6/1/2006	7:30	7.8	21	7.86
GB2	363	5/31/2006	8:37	6/1/2006	7:30	6.8	18	7.82
GB19	364	5/31/2006	8:34	6/1/2006	7:30	4.5	19	7.8
GB50	365	5/31/2006	8:30	6/1/2006	7:30	13	17	7.71
GB6A	366	5/31/2006	8:25	6/1/2006	7:30	2	18	7.73
GB6B	367	5/31/2006	8:23	6/1/2006	7:30	7.8	18	7.76
GB7A	368	5/31/2006	8:21	6/1/2006	7:30	<2	17	7.76
GB4A	369	5/31/2006	8:17	6/1/2006	7:30	49	13	7.69
GB5	370	5/31/2006	8:05	6/1/2006	7:30	4.5	16	7.69
GB16	371	5/31/2006	8:10	6/1/2006	7:30	7.8	15	7.69
HH31	372	6/5/2006	8:31	6/5/2006	11:30	350	8	7.62
HH30	373	6/5/2006	8:28	6/5/2006	11:30	130	17	7.72
HH33	374	6/5/2006	8:20	6/5/2006	11:30	240	10	7.59
HH34	375	6/5/2006	8:13	6/5/2006	11:30	240	10	7.57
HH38	376	6/5/2006	8:17	6/5/2006	11:30	350	9	7.46
HH5B	377	6/5/2006	8:09	6/5/2006	11:30	79	25	7.95
HH5C	378	6/5/2006	8:07	6/5/2006	11:30	49	28	8.05
HH10	379	6/5/2006	8:05	6/5/2006	11:30	11	29	8.05
HH11	380	6/5/2006	8:04	6/5/2006	11:30	11	29	8.06
HH12	381	6/5/2006	7:57	6/5/2006	11:30	70	29	8.06
HH35	382	6/5/2006	8:00	6/5/2006	11:30	33	25	7.95
HH19	383	6/5/2006	7:42	6/5/2006	11:30	22	29	8.06
HH2B	384	6/5/2006	7:44	6/5/2006	11:30	33	29	8.06
HH36	385	6/5/2006	7:47	6/5/2006	11:30	220	19	7.93
HH37	386	6/5/2006	7:50	6/5/2006	11:30	170	20	7.92
HH18	387	6/5/2006	7:36	6/5/2006	11:30	17	29	8.05
HH1A	388	6/5/2006	7:31	6/5/2006	11:30	6.8	29	8.07
GB18	389	6/12/2006	9:40	6/12/2006	14:30	49	11	7.65
GBA11.5	390	6/12/2006	9:52	6/12/2006	14:30	33	9	7.58
GBA10	391	6/12/2006	9:56	6/12/2006	14:30	79	2	7.51
GB21	392	6/12/2006	10:04	6/12/2006	14:30	49	1	7.41
GB22	393	6/12/2006	10:06	6/12/2006	14:30	220	1	7.27
GB25A	394	6/12/2006	10:14	6/12/2006	14:30	22	9	7.51
GB25B	395	6/12/2006	10:17	6/12/2006	14:30	22	9	7.51
GB17	396	6/12/2006	10:25	6/12/2006	14:30	130	8	7.48
GB2	397	6/12/2006	10:28	6/12/2006	14:30	33	8	7.47
GB34	398	6/12/2006	10:31	6/12/2006	14:30	130	6	7.50
GB33	399	6/12/2006	10:34	6/12/2006	14:30	79	5	7.41
GB19	400	6/12/2006	10:42	6/12/2006	14:30	130	8	7.46
GB50	401	6/12/2006	10:44	6/12/2006	14:30	33	7	7.44
GB6A	402	6/12/2006	10:56	6/12/2006	14:30	23	7	7.41
GB6B	403	6/12/2006	10:59	6/12/2006	14:30	70	6	7.45

NH PUBLIC HEALTH LABORATORIES

2006 SEAWATER SAMPLES

Collection Point	Lab #	Collection		Test		MPN	Salinity	pH
		Date	Time	Date	Time			
GB7A	404	6/12/2006	11:02	6/12/2006	14:30	23	5	7.36
GB7C	405	6/12/2006	11:05	6/12/2006	14:30	49	4	7.31
GB4A	406	6/12/2006	11:13	6/12/2006	14:30	33	5	7.32
GB81	407	6/12/2006	11:16	6/12/2006	14:30	33	4	7.30
GB50	408	6/12/2006	11:21	6/12/2006	14:30	49	5	7.34
GB16	409	6/12/2006	11:24	6/12/2006	14:30	79	5	7.26
GB82	410	6/12/2006	11:29	6/12/2006	14:30	49	4	7.33
GB83	411	6/12/2006	11:34	6/12/2006	14:30	170	5	7.35
GB83A	412	6/12/2006	11:37	6/12/2006	14:30	79	2	7.33
GB84	413	6/12/2006	11:47	6/12/2006	14:30	140	4	7.43
GBN1	414	6/19/2006	11:00	6/19/2006	14:15	7.8	13	7.52
GB25A	415	6/19/2006	9:38	6/19/2006	14:15	23	24	7.91
GB25B	416	6/19/2006	9:40	6/19/2006	14:15	11	19	7.9
GB17	417	6/19/2006	9:42	6/19/2006	14:15	49	22	7.88
GB2	418	6/19/2006	10:08	6/19/2006	14:15	49	16	7.75
GB19	419	6/19/2006	10:12	6/19/2006	14:15	13	16	7.69
GB50	420	6/19/2006	10:15	6/19/2006	14:15	23	15	7.72
GB6A	421	6/19/2006	10:21	6/19/2006	14:15	13	15	7.61
GB6B	422	6/19/2006	10:23	6/19/2006	14:15	4.5	15	7.60
GB7A	423	6/19/2006	10:27	6/19/2006	14:15	13	14	7.61
GB4A	424	6/19/2006	10:35	6/19/2006	14:15	4.5	10	7.62
GB81	425	6/19/2006	10:33	6/19/2006	14:15	33	10	7.55
GB5	426	6/19/2006	10:41	6/19/2006	14:15	14	13	7.45
GB16	427	6/19/2006	10:46	6/19/2006	14:15	17	13	7.55
LHB5	428	6/20/2006	8:51	6/20/2006	14:00	6.8	24	7.86
LHB16	429	6/20/2006	8:54	6/20/2006	14:00	4.5	25	7.84
LHB8	430	6/20/2006	8:58	6/20/2006	14:00	17	28	7.91
LHB13	431	6/20/2006	9:02	6/20/2006	14:00	13	29	7.9
LHB6	432	6/20/2006	9:04	6/20/2006	14:00	13	28	7.89
LHB2	433	6/20/2006	9:07	6/20/2006	14:00	2	30	7.94
LHB1	434	6/20/2006	9:09	6/20/2006	14:00	13	29	7.91
T7	435	6/20/2006	9:37	6/20/2006	14:00	>1600	6	7.5
T14	436	6/20/2006	9:42	6/20/2006	14:00	22	26	7.88
GB50	437	7/5/2006	9:22	7/5/2006	11:45	11	22	7.87
GB19	438	7/5/2006	9:19	7/5/2006	11:45	2	24	7.86
GB17	439	7/5/2006	9:13	7/5/2006	11:45	4.5	26	7.90
GB2	440	7/5/2006	9:15	7/5/2006	11:45	<2	23	7.89
LBOY1	441	7/5/2006	9:26	7/5/2006	11:45	17	22	7.78
GBAP1	442	7/5/2006	9:35	7/5/2006	11:45	7.8	21	7.80
GB18	443	7/12/2006	9:58	7/12/2006	14:20	17	26	7.9
GBA11.5	444	7/12/2006	10:03	7/12/2006	14:20	49	26	7.88
GBA10	445	7/12/2006	10:06	7/12/2006	14:20	94	20	7.82
GB21	446	7/12/2006	10:13	7/12/2006	14:20	350	12	7.67
GB22	447	7/12/2006	10:16	7/12/2006	14:20	240	13	7.6
GB25A	448	7/12/2006	9:55	7/12/2006	14:20	23	26	7.81
GB25B	449	7/12/2006	9:51	7/12/2006	14:20	7.8	26	7.79

NH PUBLIC HEALTH LABORATORIES

2006 SEAWATER SAMPLES

Collection Point	Lab #	Collection		Test		MPN	Salinity	pH
		Date	Time	Date	Time			
GB17	450	7/12/2006	10:30	7/12/2006	14:20	70	26	7.84
GB2	451	7/12/2006	10:33	7/12/2006	14:20	110	25	7.83
GB34	452	7/12/2006	10:43	7/12/2006	14:20	350	25	7.74
GB33	453	7/12/2006	10:45	7/12/2006	14:20	350	20	7.55
GB19	454	7/12/2006	10:54	7/12/2006	14:20	33	26	7.83
GB50	455	7/12/2006	10:56	7/12/2006	14:20	33	25	7.84
GB6A	456	7/12/2006	11:01	7/12/2006	14:20	79	25	7.86
GB6B	457	7/12/2006	11:06	7/12/2006	14:20	94	23	7.85
GB7A	458	7/12/2006	11:08	7/12/2006	14:20	240	23	7.79
GB7C	459	7/12/2006	11:13	7/12/2006	14:20	540	21	7.82
GB4A	460	7/12/2006	11:27	7/12/2006	14:20	110	23	7.80
GB81	461	7/12/2006	11:30	7/12/2006	14:20	350	22	7.80
GB5	462	7/12/2006	11:38	7/12/2006	14:20	79	23	7.81
GB16	463	7/12/2006	11:40	7/12/2006	14:20	350	22	7.73
GB82	464	7/12/2006	12:35	7/12/2006	14:20	540	22	7.76
GB83	465	7/12/2006	12:38	7/12/2006	14:20	540	232	7.75
GB83A	466	7/12/2006	12:39	7/12/2006	14:20	540	22	7.78
GB84	467	7/12/2006	12:42	7/12/2006	14:20	920	22	7.75
AC1A	468	7/17/2006	6:58	7/17/2006	12:00	2	32	8.02
AC3	469	7/17/2006	7:14	7/17/2006	12:00	2	32	8.07
AC3A	470	7/17/2006	7:16	7/17/2006	12:00	4.5	32	8.08
AC10	471	7/17/2006	7:26	7/17/2006	12:00	13	32	8.03
AC5A	472	7/17/2006	7:33	7/17/2006	12:00	4.5	32	8.06
AC6G	473	7/17/2006	7:40	7/17/2006	12:00	6.8	31	7.97
AC7B	474	7/17/2006	7:50	7/17/2006	12:00	23	32	7.98
AC8	475	7/17/2006	8:00	7/17/2006	12:00	22	30	8.05
GB25B	476	7/17/2006	9:51	7/17/2006	12:00	23	24	7.87
GB17	477	7/17/2006	9:48	7/17/2006	12:00	6.8	25	7.88
GB2	478	7/17/2006	9:44	7/17/2006	12:00	22	22	7.74
GB19	479	7/17/2006	9:39	7/17/2006	12:00	13	23	7.82
GB50	480	7/17/2006	9:37	7/17/2006	12:00	13	23	7.83
GB6A	481	7/17/2006	9:33	7/17/2006	12:00	11	23	7.79
GB7A	482	7/17/2006	9:31	7/17/2006	12:00	13	22	7.79
GB4A	483	7/17/2006	9:17	7/17/2006	12:00	17	15	7.59
GB81	484	7/17/2006	9:15	7/17/2006	12:00	33	15	7.60
GB5	485	7/17/2006	9:22	7/17/2006	12:00	6.8	21	7.71
GB16	486	7/17/2006	9:25	7/17/2006	12:00	7.8	20	7.75
GBSP1	487	7/24/2006	7:10	7/24/2006	12:30	23	24	7.74
LBOY1	488	7/24/2006	10:10	7/24/2006	12:30	33	24	7.85
GBSP1	489	8/1/2006	10:45	8/1/2006	13:20	23	22	7.89
LBOY1	490	8/1/2006	9:20	8/1/2006	13:20	7.8	24	7.99
GB5	491	8/1/2006	9:10	8/1/2006	13:20	2	23	7.95
GB7A	492	8/1/2006	9:14	8/1/2006	13:20	2	23	7.95
GB19	493	8/1/2006	9:32	8/1/2006	13:20	2	24	7.80
GB17	494	8/1/2006	9:36	8/1/2006	13:20	2	26	7.92
GB25B	495	8/1/2006	9:39	8/1/2006	13:20	7.8	26	7.95

NH PUBLIC HEALTH LABORATORIES

2006 SEAWATER SAMPLES

Collection Point	Lab #	Collection		Test		MPN	Salinity	pH
		Date	Time	Date	Time			
BRRRC1	496	8/15/2006	11:30	8/15/2006	13:50	<2	29	7.83
GBSP1	497	8/15/2006	12:18	8/15/2006	13:50	6.8	27	7.85
AC1A	498	8/21/2006	11:26	8/21/2006	13:55	Z17	32	7.89
AC3	499	8/21/2006	11:15	8/21/2006	13:55	2	32	7.84
AC3A	500	8/21/2006	11:11	8/21/2006	13:55	4	32	7.98
AC4D	501	8/21/2006	11:03	8/21/2006	13:55	79	32	7.93
AC10	502	8/21/2006	10:42	8/21/2006	13:55	70	32	7.88
AC5A	503	8/21/2006	10:39	8/21/2006	13:55	13	31	7.90
AC6G	504	8/21/2006	10:19	8/21/2006	13:55	110	32	7.91
AC7B	505	8/21/2006	10:14	8/21/2006	13:55	130	32	7.90
AC8	506	8/21/2006	10:05	8/21/2006	13:55	17	31	7.85
GB25B	507	8/22/2006	12:52	8/23/2006	8:00	4.5	31	7.90
GB17	508	8/22/2006	12:57	8/23/2006	8:00	23	30	7.85
GB2	509	8/22/2006	13:05	8/23/2006	8:00	21	29	7.86
GB39	510	8/22/2006	13:08	8/23/2006	8:00	11	28	7.88
GB19	511	8/22/2006	13:12	8/23/2006	8:00	9.3	29	7.89
GB50	512	8/22/2006	13:15	8/23/2006	8:00	33	27	7.92
GB6A	513	8/22/2006	13:19	8/23/2006	8:00	23	28	7.92
GB7A	514	8/22/2006	13:22	8/23/2006	8:00	46	28	7.90
GB4A	515	8/22/2006	13:29	8/23/2006	8:00	130	27	7.89
GB81	516	8/22/2006	13:31	8/23/2006	8:00	240	24	7.89
GB5	517	8/22/2006	13:37	8/23/2006	8:00	46	26	7.93
GB16	518	8/22/2006	13:45	8/23/2006	8:00	94	27	7.86
LBHP1	519	8/24/2006	6:40	8/24/2006	8:40	17	29	7.70
LBFP1	520	8/24/2006	7:15	8/24/2006	8:40	7.8	28	7.84
LBOY1	521	8/29/2006	8:54	8/29/2006	13:55	2	27	7.72
GBAP1	522	8/29/2006	9:40	8/29/2006	13:55	33	26	7.80
GB25B	523	8/29/2006	8:29	8/29/2006	13:55	<2	29	7.87
GB17	524	8/29/2006	8:32	8/29/2006	13:55	2	29	7.86
GB2	525	8/29/2006	8:36	8/29/2006	13:55	4.5	28	7.83
GB34	526	8/29/2006	8:38	8/29/2006	13:55	4.5	28	7.74
GB19	527	8/29/2006	8:44	8/29/2006	13:55	2	28	7.86
GB50	528	8/29/2006	8:45	8/29/2006	13:55	2	28	7.82
GB6A	529	8/29/2006	9:00	8/29/2006	13:55	33	27	7.84
GB7A	530	8/29/2006	9:03	8/29/2006	13:55	46	26	7.84
GB4A	531	8/29/2006	9:08	8/29/2006	13:55	<2	20	7.70
GB81	532	8/29/2006	9:11	8/29/2006	13:55	2	22	7.72
GB5	533	8/29/2006	9:15	8/29/2006	13:55	2	26	7.79
GB16	534	8/29/2006	9:18	8/29/2006	13:55	6.8	26	7.83
GB6A	535	8/31/2006	8:45	8/31/2006	10:25	4.5	26	7.79
GB7A	536	8/31/2006	8:47	8/31/2006	10:25	13	25	7.83
GB7C	537	8/31/2006	8:51	8/31/2006	10:25	17	25	7.85
GBAP1	538	8/31/2006	8:49	8/31/2006	10:25	33	25	7.82
LHB5	539	9/5/2006	8:19	9/5/2006	12:10	2	31	7.96

NH PUBLIC HEALTH LABORATORIES

2006 SEAWATER SAMPLES

Collection Point	Lab #	Collection		Test		MPN	Salinity	pH
		Date	Time	Date	Time			
LHB16	540	9/5/2006	8:21	9/5/2006	12:10	7.8	31	7.95
LHB8	541	9/5/2006	8:24	9/5/2006	12:10	6.8	31	7.94
LHB13	542	9/5/2006	8:28	9/5/2006	12:10	4	31	7.99
LHB6	543	9/5/2006	8:31	9/5/2006	12:10	4.5	31	7.94
LHB2	544	9/5/2006	8:33	9/5/2006	12:10	4.5	32	7.92
LHB1	545	9/5/2006	8:35	9/5/2006	12:10	2	32	8
T7	546	9/5/2006	7:01	9/5/2006	12:10	240	2	7.43
T14	547	9/5/2006	7:06	9/5/2006	12:10	170	30	7.89
GBAP1	548	9/5/2006	10:55	9/5/2006	13:20	2	27	7.94
GBNI1	549	9/5/2006	11:30	9/5/2006	13:20	2	28	7.98
LBOY1	550	9/5/2006	10:35	9/5/2006	13:20	7.8	29	7.96
GB25B	551	9/7/2006	8:50	9/7/2006	11:40	9.3	29	8.03
GB17	552	9/7/2006	8:53	9/7/2006	11:40	4.5	28	8.03
GB25B	553	9/7/2006	8:57	9/7/2006	11:40	13	28	7.95
GB34	554	9/7/2006	9:04	9/7/2006	11:40	540	27	7.91
GB19	555	9/7/2006	9:12	9/7/2006	11:40	4	28	7.99
GB50	556	9/7/2006	9:14	9/7/2006	11:40	4.5	28	7.99
GB6A	557	9/7/2006	9:20	9/7/2006	11:40	4.5	28	8.00
GB7A	558	9/7/2006	9:22	9/7/2006	11:40	2	27	8.00
GB4A	559	9/7/2006	9:27	9/7/2006	11:40	2	26	7.96
GB81	560	9/7/2006	9:30	9/7/2006	11:40	11	26	7.94
GB5	561	9/7/2006	9:34	9/7/2006	11:40	4.5	26	7.96
GB16	562	9/7/2006	9:39	9/7/2006	11:40	7.8	26	7.95
HH31	563	9/11/2006	6:42	9/11/2006	11:45	110	29	7.61
HH30	564	9/11/2006	6:40	9/11/2006	11:45	49	31	7.66
HH33	565	9/11/2006	6:52	9/11/2006	11:45	49	29	7.59
HH34	566	9/11/2006	6:47	9/11/2006	11:45	27	30	7.74
HH38	567	9/11/2006	6:54	9/11/2006	11:45	33	30	7.72
HH5B	568	9/11/2006	6:59	9/11/2006	11:45	13	32	7.79
HH5C	569	9/11/2006	7:02	9/11/2006	11:45	33	32	7.74
HH10	570	9/11/2006	7:04	9/11/2006	11:45	13	32	7.86
HH11	571	9/11/2006	7:06	9/11/2006	11:45	49	32	7.88
HH12	572	9/11/2006	7:08	9/11/2006	11:45	79	32	7.78
HH35	573	9/11/2006	7:12	9/11/2006	11:45	79	32	7.64
HH19	574	9/11/2006	7:29	9/11/2006	11:45	130	31	7.68
HH2B	575	9/11/2006	7:32	9/11/2006	11:45	33	32	7.76
HH36	576	9/11/2006	7:37	9/11/2006	11:45	46	32	7.71
HH37	577	9/11/2006	7:39	9/11/2006	11:45	33	32	7.72
HH18	578	9/11/2006	7:52	9/11/2006	11:45	33	32	7.99
HH1A	579	9/11/2006	7:16	9/11/2006	11:45	23	32	7.9
GBAP1	580	9/11/2006	12:25	9/11/2006	13:45	<2	28	7.98
GB2	581	9/12/2006	8:06	9/12/2006	10:40	2	29	7.92
GB34	582	9/12/2006	8:09	9/12/2006	10:40	4	29	7.98
GB19	583	9/12/2006	8:13	9/12/2006	10:40	2	29	8.00
GB50	584	9/12/2006	8:15	9/12/2006	10:40	4.5	29	8.00

NH PUBLIC HEALTH LABORATORIES

2006 SEAWATER SAMPLES

Collection Point	Lab #	Collection		Test		MPN	Salinity	pH
		Date	Time	Date	Time			
B CRK	585	9/12/2006	8:19	9/12/2006	10:40	11	28	7.98
GB2	586	9/25/2006	8:52	9/25/2006	11:45	240	29	7.84
GB33	587	9/25/2006	8:56	9/25/2006	11:45	170	25	7.73
GB34	588	9/25/2006	9:00	9/25/2006	11:45	540	27	7.82
BRCH1	589	9/25/2006	9:15	9/25/2006	11:45	350	25	7.77
GB2	590	10/3/2006	12:13	10/3/2006	14:00	2	30	7.86
GB34	591	10/3/2006	12:16	10/3/2006	14:00	<2	29	7.87
GB33	592	10/3/2006	12:19	10/3/2006	14:00	11	29	7.88
HH31	593	10/4/2006	9:06	10/4/2006	12:30	49	33	7.89
HH30	594	10/4/2006	9:08	10/4/2006	12:30	23	33	7.96
HH33	595	10/4/2006	8:54	10/4/2006	12:30	22	30	7.75
HH34	596	10/4/2006	9:00	10/4/2006	12:30	7.8	32	7.96
HH38	597	10/4/2006	8:56	10/4/2006	12:30	4.5	33	7.94
HH5B	598	10/4/2006	9:12	10/4/2006	12:30	<2	33	7.89
HH5C	599	10/4/2006	9:15	10/4/2006	12:30	<2	33	7.96
HH10	600	10/4/2006	9:17	10/4/2006	12:30	<2	33	7.99
HH11	601	10/4/2006	9:19	10/4/2006	12:30	<2	33	8.00
HH12	602	10/4/2006	9:21	10/4/2006	12:30	<2	33	7.98
HH35	603	10/4/2006	9:24	10/4/2006	12:30	7.8	32	7.94
HH19	604	10/4/2006	9:28	10/4/2006	12:30	4.5	33	7.96
HH2B	605	10/4/2006	9:30	10/4/2006	12:30	2	33	7.96
HH36	606	10/4/2006	9:33	10/4/2006	12:30	31	33	7.95
HH37	607	10/4/2006	9:35	10/4/2006	12:30	46	32	7.95
HH18	608	10/4/2006	9:43	10/4/2006	12:30	7.8	32	7.89
HH1A	609	10/4/2006	9:47	10/4/2006	12:30	<2	33	7.97
AC1A	610	10/15/2006	15:26	10/16/2006	8:30	<2	33	7.94
AC3	611	10/15/2006	15:39	10/16/2006	8:30	<2	33	7.97
AC3A	612	10/15/2006	15:43	10/16/2006	8:30	<2	33	7.98
AC4D	613	10/15/2006	15:54	10/16/2006	8:30	<2	33	7.96
AC10	614	10/15/2006	16:00	10/16/2006	8:30	2	33	7.97
AC5A	615	10/15/2006	16:06	10/16/2006	8:30	6.8	33	7.96
AC6G	616	10/15/2006	16:19	10/16/2006	8:30	13	33	7.93
AC7B	617	10/15/2006	16:26	10/16/2006	8:30	7.8	33	7.98
AC8	618	10/15/2006	16:36	10/16/2006	8:30	79	31	7.99
GBAP1	619	10/16/2006	10:05	10/16/2006	12:45	33	23	7.87
AC8	620	10/19/2006	7:03	10/19/2006	8:25	4.5	31	7.8
GBSP1	621	10/23/2006	9:40	10/23/2006	10:45	110	12	7.52
GB25B	622	10/24/2006	10:05	10/24/2006	12:50	49	24	7.76
GB17	623	10/24/2006	9:40	10/24/2006	12:50	17	23	7.79
GB19	624	10/24/2006	9:35	10/24/2006	12:50	49	22	7.77
GB6A	625	10/24/2006	9:20	10/24/2006	12:50	46	20	7.77
GB7A	626	10/24/2006	9:18	10/24/2006	12:50	31	19	7.73

NH PUBLIC HEALTH LABORATORIES

2006 SEAWATER SAMPLES

Collection Point	Lab #	Collection		Test		MPN	Salinity	pH
		Date	Time	Date	Time			
GB4A	627	10/24/2006	9:05	10/24/2006	12:50	49	13	7.64
GB5	628	10/24/2006	9:14	10/24/2006	12:50	49	19	7.74
GB16	629	10/24/2006	9:10	10/24/2006	12:50	49	18	7.79
GB25B	630	10/24/2006	9:44	10/24/2006	12:50	33	22	7.75
GB34	631	10/24/2006	9:55	10/24/2006	12:50	79	15	7.74
GB50	632	10/24/2006	9:25	10/24/2006	12:50	130	19	7.68
BRRC2	633	10/24/2006	9:44	10/24/2006	12:50	17	21	7.79
LBOY1	634	10/24/2006	9:34	10/24/2006	12:50	31	21	7.80
GB25B	635	10/26/2006	8:23	10/26/2006	10:45	49	23	7.77
GB17	636	10/26/2006	8:20	10/26/2006	10:45	7.8	23	7.75
GB2	637	10/26/2006	7:43	10/26/2006	10:45	7.8	22	7.73
GB34	638	10/26/2006	7:40	10/26/2006	10:45	33	21	7.74
GB19	639	10/26/2006	7:46	10/26/2006	10:45	49	22	7.74
GB50	640	10/26/2006	7:47	10/26/2006	10:45	13	22	7.78
GB6A	641	10/26/2006	7:52	10/26/2006	10:45	23	22	7.77
GB7A	642	10/26/2006	7:55	10/26/2006	10:45	22	21	7.77
GB4A	643	10/26/2006	8:10	10/26/2006	10:45	79	18	7.76
GB5	644	10/26/2006	8:05	10/26/2006	10:45	23	20	7.77
GB16	645	10/26/2006	8:00	10/26/2006	10:45	33	19	7.78
HHHR1	646	10/30/2006	9:15	10/30/2006	13:00	49	26	7.85
HHWM1	647	10/30/2006	10:15	10/30/2006	13:00	22	26	8.02
GB25B	648	10/31/2006	8:53	10/31/2006	12:05	110	19	7.61
GB17	649	10/31/2006	8:56	10/31/2006	12:05	110	20	7.68
GB2	650	10/31/2006	9:51	10/31/2006	12:05	49	15	7.67
GB34	651	10/31/2006	9:48	10/31/2006	12:05	70	15	7.60
GB19	652	10/31/2006	9:00	10/31/2006	12:05	70	18	7.61
GB50	653	10/31/2006	9:27	10/31/2006	12:05	130	16	7.63
GB6A	654	10/31/2006	9:04	10/31/2006	12:05	240	16	7.66
GB7A	655	10/31/2006	9:07	10/31/2006	12:05	220	16	7.55
GB4A	656	10/31/2006	9:18	10/31/2006	12:05	240	6	7.39
GB5	657	10/31/2006	9:15	10/31/2006	12:05	220	14	7.53
GB16	658	10/31/2006	9:12	10/31/2006	12:05	170	15	7.59
BRRC2	659	10/31/2006	9:40	10/31/2006	12:05	130	17	7.66
LBOY1	660	10/31/2006	9:33	10/31/2006	12:05	130	18	7.67
HHMG1	661	10/31/2006	12:30	11/1/2006	8:10	2	33	7.85
GBSP1	662	10/31/2006	14:55	11/1/2006	8:10	540	4	7.88
HH31	663	11/1/2006	9:14	11/1/2006	11:45	49	28	7.83
HH30	664	11/1/2006	9:16	11/1/2006	11:45	33	30	7.81
HH33	665	11/1/2006	9:08	11/1/2006	11:45	33	26	7.80
HH34	666	11/1/2006	9:03	11/1/2006	11:45	49	26	7.67
HH38	667	11/1/2006	9:06	11/1/2006	11:45	33	29	7.77
HH5B	668	11/1/2006	9:19	11/1/2006	11:45	4.5	32	7.89
HH5C	669	11/1/2006	9:21	11/1/2006	11:45	6.1	32	7.90
HH10	670	11/1/2006	9:23	11/1/2006	11:45	4	33	7.92

NH PUBLIC HEALTH LABORATORIES

2006 SEAWATER SAMPLES

Collection Point	Lab #	Collection		Test		MPN	Salinity	pH
		Date	Time	Date	Time			
HH11	671	11/1/2006	9:24	11/1/2006	11:45	11	33	7.92
HH12	672	11/1/2006	9:27	11/1/2006	11:45	13	33	7.88
HH35	673	11/1/2006	9:30	11/1/2006	11:45	11	32	7.87
HH19	674	11/1/2006	9:34	11/1/2006	11:45	7.8	33	7.89
HH2B	675	11/1/2006	9:35	11/1/2006	11:45	17	33	7.88
HH36	676	11/1/2006	9:39	11/1/2006	11:45	33	32	7.85
HH37	677	11/1/2006	9:41	11/1/2006	11:45	33	32	7.84
HH18	678	11/1/2006	9:48	11/1/2006	11:45	11	33	7.86
HH1A	679	11/1/2006	9:51	11/1/2006	11:45	13	33	7.90
HHHR1	680	11/1/2006	9:55	11/1/2006	11:45	4.5	33	7.89
GB25B	681	11/6/2006	9:53	11/6/2006	13:00	17	25	7.77
GB17	682	11/6/2006	9:55	11/6/2006	13:00	13	22	7.78
GB2	683	11/6/2006	10:34	11/6/2006	13:00	14	22	7.75
GB34	684	11/6/2006	10:35	11/6/2006	13:00	13	21	7.75
GB19	685	11/6/2006	10:00	11/6/2006	13:00	17	22	7.77
GB50	686	11/6/2006	10:02	11/6/2006	13:00	13	20	7.71
GB6A	687	11/6/2006	10:05	11/6/2006	13:00	14	19	7.72
GB7A	688	11/6/2006	10:07	11/6/2006	13:00	11	19	7.69
GB4A	689	11/6/2006	10:12	11/6/2006	13:00	13	18	7.71
GB5	690	11/6/2006	10:15	11/6/2006	13:00	23	18	7.73
GB16	691	11/6/2006	10:17	11/6/2006	13:00	23	17	7.66
GBAP1	692	11/6/2006	10:24	11/6/2006	13:00	17	18	7.68
BRRC2	693	11/6/2006	10:38	11/6/2006	13:00	17	20	7.73
HH31	694	11/7/2006	8:57	11/7/2006	12:00	23	30	7.69
HH5C	695	11/7/2006	8:52	11/7/2006	12:00	13	33	7.88
HH35	696	11/7/2006	8:25	11/7/2006	12:00	46	33	7.86
HH19	697	11/7/2006	8:32	11/7/2006	12:00	2	33	7.89
HH36	698	11/7/2006	8:38	11/7/2006	12:00	17	30	7.77
HH1A	699	11/7/2006	8:49	11/7/2006	12:00	1.8	33	7.87
HH18	700	11/7/2006	8:46	11/7/2006	12:00	79	33	7.85
HH2B	701	11/7/2006	8:34	11/7/2006	12:00	13	33	7.87
GBSP1	702	11/7/2006	8:50	11/7/2006	12:40	49	16	7.75
LHWM1	703	11/7/2006	9:10	11/7/2006	12:40	7.8	30	7.84
HHT5	704	11/8/2006	10:08	11/8/2006	12:00	46	24	7.58
HHPS213	705	11/8/2006	10:15	11/8/2006	12:00	49	32	7.83
HHWL1	706	11/8/2006	10:23	11/8/2006	12:00	49	32	7.83
HMPTRDK	707	11/8/2006	10:30	11/8/2006	12:00	9.3	32	7.89
HH31	708	11/8/2006	16:02	11/9/2006	7:45	26	30	7.76
HH30	709	11/8/2006	16:00	11/9/2006	7:45	4.5	32	7.86
HH33	710	11/8/2006	15:52	11/9/2006	7:45	7.8	31	7.87
HH34	711	11/8/2006	15:55	11/9/2006	7:45	4.5	31	7.88
HH5B	712	11/8/2006	16:06	11/9/2006	7:45	4.5	32	7.89
HH5C	713	11/8/2006	16:07	11/9/2006	7:45	4.5	32	7.90
HH10	714	11/8/2006	16:08	11/9/2006	7:45	7.8	32	7.88
HH11	715	11/8/2006	16:10	11/9/2006	7:45	4.5	32	7.89

NH PUBLIC HEALTH LABORATORIES

2006 SEAWATER SAMPLES

Collection Point	Lab #	Collection		Test		MPN	Salinity	pH
		Date	Time	Date	Time			
HH12	716	11/8/2006	16:12	11/9/2006	7:45	7.8	32	7.88
HH19	717	11/8/2006	16:15	11/9/2006	7:45	22	33	7.88
HH18	718	11/8/2006	16:18	11/9/2006	7:45	7.8	33	7.91
HH1A	719	11/8/2006	16:21	11/9/2006	7:45	2	32	7.89
LHWM1	720	11/19/2006	13:52	11/20/2006	8:45	79	21	7.91
HHHR1	721	11/19/2006	13:52	11/20/2006	8:45	17	30	7.93
GB25B	722	11/20/2006	7:30	11/20/2006	10:40	33	12	7.74
GB17	723	11/20/2006	7:32	11/20/2006	10:40	79	9	7.73
GB19	724	11/20/2006	7:40	11/20/2006	10:40	110	9	7.66
GB6A	725	11/20/2006	7:50	11/20/2006	10:40	170	8	7.44
GB7A	726	11/20/2006	7:52	11/20/2006	10:40	130	8	7.43
GB2	727	11/20/2006	8:30	11/20/2006	10:40	49	11	7.53
GB34	728	11/20/2006	8:32	11/20/2006	10:40	49	10	7.54
GB50	729	11/20/2006	7:43	11/20/2006	10:40	350	9	7.53
GB4A	730	11/20/2006	8:18	11/20/2006	10:40	110	7	7.42
GB5	731	11/20/2006	8:05	11/20/2006	10:40	94	6	7.46
GB16	732	11/20/2006	8:11	11/20/2006	10:40	79	6	7.39
GBAP1	733	11/20/2006	7:55	11/20/2006	10:40	110	7	7.35
GBNI1	734	11/20/2006	8:08	11/20/2006	10:40	540	7	7.33
BRRC2	735	11/20/2006	8:34	11/20/2006	10:40	33	10	7.52
LHB13	736	11/20/2006	13:07	11/21/2006	7:45	33	25	7.84
LHB6	737	11/20/2006	13:09	11/21/2006	7:45	31	24	7.86
LHB2	738	11/20/2006	13:11	11/21/2006	7:45	17	29	7.89
LHB13	739	11/20/2006	13:13	11/21/2006	7:45	13	28	7.91
HH31	740	11/20/2006	14:01	11/21/2006	7:45	14	23	7.81
HH5C	741	11/20/2006	14:05	11/21/2006	7:45	20	29	7.83
HH1A	742	11/20/2006	14:11	11/21/2006	7:45	22	30	7.85
HH35	743	11/20/2006	14:08	11/21/2006	7:45	49	28	7.86
HH19	744	11/20/2006	14:16	11/21/2006	7:45	2	30	7.89
HH36	745	11/20/2006	14:20	11/21/2006	7:45	7.8	29	7.88
HH18	746	11/20/2006	14:13	11/21/2006	7:45	4.5	32	7.92
HHHR1	747	11/28/2006	9:15	11/28/2006	13:20	4.5	30	7.85
LHWM1	748	11/28/2006	9:45	11/28/2006	13:20	22	24	7.89
LHB13	749	11/28/2006	9:07	11/28/2006	13:20	33	26	7.87
LHB6	750	11/28/2006	9:11	11/28/2006	13:20	33	26	7.81
LHB2	751	11/28/2006	9:14	11/28/2006	13:20	22	27	7.87
LHB1	752	11/28/2006	9:16	11/28/2006	13:20	31	27	7.88
GB25B	753	11/28/2006	10:12	11/28/2006	13:20	70	18	7.74
GB17	754	11/28/2006	10:15	11/28/2006	13:20	49	18	7.77
GB19	755	11/28/2006	10:34	11/28/2006	13:20	31	16	7.77
GB6A	756	11/28/2006	10:40	11/28/2006	13:20	33	14	7.74
GB7A	757	11/28/2006	10:44	11/28/2006	13:20	23	14	7.71
GB4A	758	11/28/2006	10:49	11/28/2006	13:20	46	8	7.63
GB5	759	11/28/2006	10:52	11/28/2006	13:20	23	14	7.62
GB16	760	11/28/2006	11:00	11/28/2006	13:20	33	13	7.65

NH PUBLIC HEALTH LABORATORIES

2006 SEAWATER SAMPLES

Collection Point	Lab #	Collection		Test		MPN	Salinity	pH
		Date	Time	Date	Time			
GB2	761	11/28/2006	10:18	11/28/2006	13:20	22	15	7.63
GB34	762	11/28/2006	10:24	11/28/2006	13:20	49	10	7.61
GB50	763	11/28/2006	10:36	11/28/2006	13:20	6.8	15	7.66
GBNI1	764	11/28/2006	10:56	11/28/2006	13:20	23	14	7.66
BRR2	765	11/28/2006	10:27	11/28/2006	13:20	33	16	7.71
HH35	766	12/4/2006	11:30	12/5/2006	8:25	2	30.7	7.93
HH5C	767	12/4/2006	11:10	12/5/2006	8:25	2	32.5	7.83
HH1A	768	12/4/2006	10:17	12/5/2006	8:25	<2	32.3	7.92
HH19	769	12/4/2006	10:29	12/5/2006	8:25	<2	32.4	7.90
HH36	770	12/4/2006	10:35	12/5/2006	8:25	2	32.3	7.89
HH31	771	12/4/2006	11:25	12/5/2006	8:25	17	30.8	7.88
HH18	772	12/4/2006	10:24	12/5/2006	8:25	<2	32.1	7.83
LHWM1	773	12/4/2006	14:55	12/5/2006	8:25	1.8	31	7.85
GBNI1	774	12/5/2006	12:10	12/5/2006	14:10	33	16.6	7.70
BRR2	775	12/5/2006	11:39	12/5/2006	14:10	70	17.8	7.74
LHB5	776	12/6/2006	7:50	12/6/2006	10:00	49	22.6	7.70
LHB16	777	12/6/2006	7:55	12/6/2006	10:00	13	24.3	7.81
LHB8	778	12/6/2006	7:58	12/6/2006	10:00	23	25.8	7.79
LHB13	779	12/6/2006	8:02	12/6/2006	10:00	23	27.2	7.81
LHB6	780	12/6/2006	8:04	12/6/2006	10:00	13	28.4	7.83
LHB2	781	12/6/2006	8:06	12/6/2006	10:00	4.5	28.6	7.85
LHB1	782	12/6/2006	8:08	12/6/2006	10:00	22	28.7	7.87
T7	783	12/6/2006	6:32	12/6/2006	10:00	33	0.2	7.24
T14	784	12/6/2006	6:37	12/6/2006	10:00	23	11.2	7.41
HH31	785	12/7/2006	8:51	12/7/2006	12:30	33	25	7.71
HH30	786	12/7/2006	8:55	12/7/2006	12:30	49	29	7.78
HH33	787	12/7/2006	8:40	12/7/2006	12:30	79	21	7.70
HH34	788	12/7/2006	8:45	12/7/2006	12:30	46	28	7.77
HH38	789	12/7/2006	8:44	12/7/2006	12:30	23	26	7.77
HH5B	790	12/7/2006	8:36	12/7/2006	12:30	14	32	7.87
HH5C	791	12/7/2006	8:35	12/7/2006	12:30	13	32	7.86
HH10	792	12/7/2006	8:32	12/7/2006	12:30	7.8	33	7.88
HH11	793	12/7/2006	8:24	12/7/2006	12:30	7.8	33	7.90
HH12	794	12/7/2006	8:25	12/7/2006	12:30	17	32	7.88
HH35	795	12/7/2006	8:27	12/7/2006	12:30	33	31	7.85
HH19	796	12/7/2006	7:58	12/7/2006	12:30	23	31	7.85
HH2B	797	12/7/2006	7:59	12/7/2006	12:30	17	30	7.78
HH36	798	12/7/2006	8:02	12/7/2006	12:30	23	26	7.69
HH37	799	12/7/2006	8:07	12/7/2006	12:30	79	24	7.64
HH18	800	12/7/2006	8:16	12/7/2006	12:30	22	32	7.85
HH1A	801	12/7/2006	8:20	12/7/2006	12:30	11	33	7.90
GB25B	802	12/7/2006	8:46	12/7/2006	12:30	49	17	7.83
GB17	803	12/7/2006	8:51	12/7/2006	12:30	130	19	7.77
GB19	804	12/7/2006	9:05	12/7/2006	12:30	70	18	7.78

NH PUBLIC HEALTH LABORATORIES

2006 SEAWATER SAMPLES

Collection Point	Lab #	Collection		Test		MPN	Salinity	pH
		Date	Time	Date	Time			
GB6A	805	12/7/2006	9:14	12/7/2006	12:30	130	17	7.76
GB7A	806	12/7/2006	9:17	12/7/2006	12:30	27	17	7.74
GB4A	807	12/7/2006	9:26	12/7/2006	12:30	70	14	7.72
GB5	808	12/7/2006	9:32	12/7/2006	12:30	79	14	7.69
GB16	809	12/7/2006	9:37	12/7/2006	12:30	22	16	7.71
GB2	810	12/7/2006	8:58	12/7/2006	12:30	49	18	7.78
GB34	811	12/7/2006	10:04	12/7/2006	12:30	49	16	7.77
GB50	812	12/7/2006	9:08	12/7/2006	12:30	17	17	7.76
GB25A	813	12/12/2006	10:16	12/12/2006	12:20	79	24	7.82
GB25B	814	12/12/2006	10:15	12/12/2006	12:20	79	22	7.83
GB17	815	12/12/2006	10:12	12/12/2006	12:20	79	22	7.78
GB2	816	12/12/2006	10:08	12/12/2006	12:20	130	22	7.82
GB34	817	12/12/2006	8:27	12/12/2006	12:20	23	21	7.82
GB33	818	12/12/2006	8:31	12/12/2006	12:20	13	18	7.81
GB19	819	12/12/2006	10:03	12/12/2006	12:20	33	21	7.78
GB50	820	12/12/2006	10:00	12/12/2006	12:20	33	20	7.76
GB6A	821	12/12/2006	9:54	12/12/2006	12:20	33	20	7.76
GB6B	822	12/12/2006	9:50	12/12/2006	12:20	79	19	7.77
GB7A	823	12/12/2006	9:45	12/12/2006	12:20	94	19	7.76
GB7C	824	12/12/2006	9:37	12/12/2006	12:20	49	18	7.78
GB4A	825	12/12/2006	9:17	12/12/2006	12:20	79	17	7.71
GB81	826	12/12/2006	9:23	12/12/2006	12:20	170	18	7.74
GB5	827	12/12/2006	9:10	12/12/2006	12:20	23	18	7.75
GB16	828	12/12/2006	9:06	12/12/2006	12:20	79	18	7.75
GB82	829	12/12/2006	8:45	12/12/2006	12:20	23	18	7.75
GB83	830	12/12/2006	8:51	12/12/2006	12:20	33	18	7.75
GB83A	831	12/12/2006	8:57	12/12/2006	12:20	23	17	7.75
GB84	832	12/12/2006	9:02	12/12/2006	12:20	11	18	7.76
GB25B	833	12/14/2006	8:55	12/14/2006	12:00	79	23.3	7.78
GB17	834	12/14/2006	8:58	12/14/2006	12:00	46	22.5	7.79
GB19	835	12/14/2006	9:14	12/14/2006	12:00	70	21.3	7.80
GB50	836	12/14/2006	9:17	12/14/2006	12:00	79	19.9	7.79
GB6A	837	12/14/2006	9:24	12/14/2006	12:00	79	20.3	7.77
GB7A	838	12/14/2006	9:28	12/14/2006	12:00	110	18.9	7.78
GB4A	839	12/14/2006	9:35	12/14/2006	12:00	23	16.7	7.69
GB5	840	12/14/2006	9:39	12/14/2006	12:00	33	17.4	7.75
GB16	841	12/14/2006	9:42	12/14/2006	12:00	49	18.1	7.76
GB2	842	12/14/2006	9:01	12/14/2006	12:00	70	19	7.77
GB34	843	12/14/2006	9:04	12/14/2006	12:00	70	19.9	7.79
GB33	844	12/14/2006	9:07	12/14/2006	12:00	33	16.9	7.78
HH31	845	12/18/2006	7:46	12/18/2006	13:15	11	32	7.81
HH30	846	12/18/2006	7:47	12/18/2006	13:15	2	34	7.86
HH33	847	12/18/2006	7:34	12/18/2006	13:15	9.3	28	7.81
HH34	848	12/18/2006	7:38	12/18/2006	13:15	7.8	34	7.87
HH38	849	12/18/2006	7:36	12/18/2006	13:15	33	33	7.91
HH5B	850	12/18/2006	7:51	12/18/2006	13:15	2	34	7.89
HH5C	851	12/18/2006	7:53	12/18/2006	13:15	<2	34	7.88

NH PUBLIC HEALTH LABORATORIES

2006 SEAWATER SAMPLES

Collection Point	Lab #	Collection		Test		MPN	Salinity	pH
		Date	Time	Date	Time			
HH10	852	12/18/2006	7:55	12/18/2006	13:15	7.8	34	7.89
HH11	853	12/18/2006	7:56	12/18/2006	13:15	2	34	7.89
HH12	854	12/18/2006	7:59	12/18/2006	13:15	<2	34	7.91
HH35	855	12/18/2006	8:02	12/18/2006	13:15	<2	34	7.91
HH19	856	12/18/2006	8:06	12/18/2006	13:15	4.5	34	7.92
HH2B	857	12/18/2006	8:08	12/18/2006	13:15	<2	34	7.91
HH36	858	12/18/2006	8:12	12/18/2006	13:15	<2	34	7.92
HH37	859	12/18/2006	8:14	12/18/2006	13:15	4.5	34	7.92
HH18	860	12/18/2006	8:21	12/18/2006	13:15	7.8	33	7.92
HH1A	861	12/18/2006	8:24	12/18/2006	13:15	2	33	7.92
HH31	862	12/28/2006	9:34	12/28/2006	12:30	17	14	7.51
HH5C	863	12/28/2006	9:40	12/28/2006	12:30	7.8	27	7.75
HH35	864	12/28/2006	9:45	12/28/2006	12:30	7.8	28	7.72
HH19	865	12/28/2006	9:50	12/28/2006	12:30	4.5	29	7.80
HH36	866	12/28/2006	9:57	12/28/2006	12:30	7.8	26	7.76
HH18	867	12/28/2006	10:05	12/28/2006	12:30	<2	33	7.89
HH1A	868	12/28/2006	10:08	12/28/2006	12:30	6.8	31	7.86

**LABORATORY ANALYSES OF WATER AND SHELLFISH FROM
COASTAL WATERS AND WATERSHED OF NEW HAMPSHIRE**

New Hampshire Public Health Laboratories

Appendix B

NH PUBLIC HEALTH LABORATORIES

2006 Shellfish Samples

Collection Point	Shellstock Type	Collection		Test		MPN	Water MPN	SAMPLE#
		Date	Time	Date	Time			
HHHR1	MUSSELS	1/3/2006	8:55	1/3/2006	12:35	130	33	1
LHWM1	MUSSELS	1/3/2006	8:55	1/3/2006	14:00	230	11	2
BRR1	CLAMS	1/3/2006	9:25	1/3/2006	14:00	330	130	3
BRR1	CLAMS	1/9/2006	12:20	1/9/2006	13:10	310	13	4
BRR1	CLAMS	1/17/2006	9:14	1/17/2006	10:45	330	130	5
HHHR1	MUSSELS	1/24/2006	10:30	1/24/2006	13:50	330	4	6
LHWM1	MUSSELS	1/24/2006	10:30	1/24/2006	13:50	45	<2	7
BRR1	CLAMS	1/24/2006	12:45	1/24/2006	13:50	130	7.8	8
LHWM1	MUSSELS	2/6/2006	11:10	2/6/2006	13:30	230	2	9
HHHR1	MUSSELS	2/6/2006	11:44	2/6/2006	13:30	170	49	10
HHWL1	CLAMS	2/6/2006	11:44	2/6/2006	13:30	170	240	11
LHWM1	MUSSELS	2/7/2006	10:48	2/7/2006	14:15	78	2	12
HHHR1	MUSSELS	2/7/2006	11:30	2/7/2006	14:15	78	<2	13
HHWL1	CLAMS	2/7/2006	11:57	2/7/2006	14:15	45	27	14
GBSP1	CLAMS	2/7/2006	13:03	2/7/2006	14:15	130	79	15
BRR1	CLAMS	2/7/2006	14:15	2/7/2006	14:15	330	49	16
GBAP1	OYSTERS	2/13/2006	10:10	2/13/2006	13:00	<20	<20	17
BRR1	CLAMS	2/21/2006	11:04	2/21/2006	13:00	130	1.8	18
HHMG1	CLAMS	3/28/2006	14:36	3/29/2006	11:00	45	<2	19
HHBW1	CLAMS	3/28/2006	15:09	3/29/2006	11:00	<20	<2	20
GBBR1	CLAMS	3/28/2006	15:58	3/29/2006	11:00	78	<2	21
LHWM1	MUSSELS	4/5/2006	10:20	4/5/2006	13:15	700	1.8	22
BRR1	CLAMS	4/5/2006	12:15	4/5/2006	13:15	330	23	23
HHHR1	MUSSELS	4/9/2006	14:30	4/10/2006	9:30	20	<2	24
LHWM1	MUSSELS	4/10/2006	6:25	4/10/2006	12:45	230	4.5	25
GBSP1	CLAMS	4/10/2006	8:00	4/10/2006	12:45	130	49	26
BRR1	CLAMS	4/10/2006	7:05	4/10/2006	12:45	45	23	27
LHWM1	MUSSELS	4/25/2006	14:15	4/26/2006	7:45	<20	2	28
LHSG1	CLAMS	4/25/2006	14:05		7:45	20	<2	29
HHHR1	MUSSELS	4/25/2006	14:15	4/26/2006	7:45	330	4.5	30
HHBW1	CLAMS	4/25/2006	14:47	4/26/2006	7:45	45	<2	31
HHHR1	MUSSELS	5/8/2006	13:38	5/9/2006	8:00	<20	2	32
GBNI1	OYSTERS	5/9/2006	9:25	5/9/2006	13:00	20	<2	33
HHHR1	MUSSELS	5/22/2006	12:30	5/22/2006	14:15	20	7.8	34

NH PUBLIC HEALTH LABORATORIES

2006 Shellfish Samples

Collection Point	Shellstock Type	Collection		Test		MPN	Water MPN	SAMPLE#
		Date	Time	Date	Time			
LHSG1	CLAMS	5/22/2006	13:15	5/23/2006	11:00	1100	11	35
LHWM1	MUSSELS	5/22/2006	13:20	5/23/2006	11:00	170	6.8	36
LBOY1	OYSTERS	5/23/2006	7:35	5/23/2006	12:30	130	4.5	37
GBSP1	CLAMS	5/23/2006	15:19	5/24/2006	9:00	220	49	38
BRR1	CLAMS	5/23/2006	14:51	5/24/2006	9:00	490	11	39
LHSG1	CLAMS	5/30/2006	8:45	5/30/2006	12:10	1100	4.5	40
LHWM1	MUSSELS	5/30/2006	8:40	5/30/2006	12:10	700	33	41
BRR1	CLAMS	5/30/2006	9:54	5/30/2006	12:10	16000	130	42
GBSP1	CLAMS	5/30/2006	10:35	5/30/2006	12:10	45	23	43
LBOY1	OYSTERS	6/12/2006	10:50	6/12/2006	14:30	170	NONE	44
GBNI1	OYSTERS	6/19/2006	11:00	6/19/2006	14:15	630	7.8	45
LBOY1	OYSTERS	7/5/2006	9:26	7/5/2006	11:45	45	17	46
GBAP1	OYSTERS	7/5/2006	9:35	7/5/2006	11:45	20	21	47
GBSP1	CLAMS	7/24/2006	7:40	7/24/2006	12:30	330	23	48
LBOY1	OYSTERS	7/24/2006	10:10	7/24/2006	12:30	330	33	49
GBSP1	CLAMS	8/1/2006	10:45	8/1/2006	13:20	140	23	50
LBOY1	OYSTERS	8/1/2006	9:20	8/1/2006	13:20	68	7.8	51
BRR1	CLAMS	8/15/2006	11:30	8/15/2006	13:50	790	<2	52
GBSP1	CLAMS	8/15/2006	12:18	8/15/2006	13:50	<20	6.8	53
LBHP1	MUSSELS	8/24/2006	6:40	8/24/2006	8:40	130	17	54
LBFP1	CLAMS	8/24/2006	7:15	8/24/2006	8:40	230	7.8	55
LBOY1	OYSTERS	8/29/2006	8:54	8/29/2006	13:55	40	2	56
GBAP1	OYSTERS	8/29/2006	9:40	8/29/2006	13:55	330	33	57
GBAP1	OYSTERS	9/5/2006	10:55	9/5/2006	13:15	78	2	58
GBNI1	OYSTERS	9/5/2006	11:30	9/5/2006	13:15	78	2	59
LBOY1	OYSTERS	9/5/2006	10:35	9/5/2006	13:15	130	7.8	60
GBAP1	OYSTERS	9/11/2006	12:25	9/11/2006	13:45	40	<2	61
BRCH1	CLAMS	9/25/2006	9:15	9/25/2006	11:45	2400	350	62
GBAP1	OYSTERS	10/16/2006	10:05	10/16/2006	12:50	490	33	63
HHHR1	MUSSELS	10/23/2006	8:15	10/23/2006	10:45	330	NONE	64
GBSP1	CLAMS	10/23/2006	9:40	10/23/2006	10:45	230	110	65

NH PUBLIC HEALTH LABORATORIES

2006 Shellfish Samples

Collection Point	Shellstock Type	Collection		Test		MPN	Water MPN	SAMPLE#
		Date	Time	Date	Time			
BRRC2	OYSTERS	10/24/2006	9:44	10/24/2006	12:50	78	17	66
LBOY1	OYSTERS	10/24/2006	9:34	10/24/2006	12:50	140	31	67
HHR1	MUSSELS	10/30/2006	9:15	10/30/2006	13:00	170	49	68
LHWM1	MUSSELS	10/30/2006	10:15	10/30/2006	13:00	460	22	69
BRRC2	OYSTERS	10/31/2006	9:40	10/31/2006	12:05	230	130	70
LBOY1	OYSTERS	10/31/2006	9:33	10/31/2006	12:05	78	130	71
HMG1	CLAMS	10/31/2006	12:30	11/1/2006	8:10	78	2	72
GBSP1	CLAMS	10/31/2006	14:55	11/1/2006	8:10	1700	540	73
HHR1	MUSSELS	11/1/2006	9:55	11/1/2006	11:45	45	4.5	74
GBAP1	OYSTERS	11/6/2006	10:24	11/6/2006	13:00	20	17	75
BRRC2	OYSTERS	11/6/2006	10:38	11/6/2006	13:00	18	17	76
BRRC2	MUSSELS	11/6/2006	10:38	11/6/2006	13:00	78	17	77
GBSP1	CLAMS	11/7/2006	8:50	11/7/2006	12:40	220	49	78
LHWM1	MUSSELS	11/7/2006	9:10	11/7/2006	12:40	45	7.8	79
LHWM1	MUSSELS	11/19/2006	13:52	11/20/2006	8:45	1700	79	80
HHR1	MUSSELS	11/19/2006	12:14	11/20/2006	8:45	45	17	81
GBAP1	OYSTERS	11/20/2006	7:33	11/20/2006	10:40	<20	110	82
GBNI1	OYSTERS	11/20/2006	7:34	11/20/2006	10:40	20	540	83
BRRC2	MUSSELS	11/20/2006	7:35	11/20/2006	10:40	330	33	84
HHR1	MUSSELS	11/28/2006	9:15	11/28/2006	13:20	45	4.5	85
HHR1	MUSSELS	11/28/2006	9:45	11/28/2006	13:20	220	22	86
GBNI1	OYSTERS	11/28/2006	10:56	11/28/2006	13:20	<20	23	87
BRRC2	OYSTERS	11/28/2006	10:27	11/28/2006	13:20	78	33	88
LHWM1	MUSSELS	12/4/2006	14:55	12/5/2006	8:25	<20	1.8	89
GBNI1	OYSTERS	12/5/2006	12:10	12/5/2006	14:10	<20	33	90
BRRC2	OYSTERS	12/5/2006	11:39	12/5/2006	14:10	20	70	91

**LABORATORY ANALYSES OF WATER AND SHELLFISH FROM
COASTAL WATERS AND WATERSHED OF NEW HAMPSHIRE**

New Hampshire Public Health Laboratories

Appendix C

NH PUBLIC HEALTH LABORATORIES

2006 PSP Samples

COLLECTION DATE	COLLECTION SITE	RESULT (ug poison/100g meat)	SAMPLE TYPE
4/3/2006	IOSSI2	<44	Mussels
4/4/2006	HHR1	<44	Mussels
4/9/2006	HHR1	<44	Mussels
4/10/2006	IOSSI2	<44	Mussels
4/17/2006	HHR1	<44	Mussels
4/19/2006	IOSSI2	<44	Mussels
4/25/2006	HHR1	<44	Mussels
4/26/2006	IOSSI2	<44	Mussels
4/27/2006	ACHB4	63.5	Surf Clams
5/2/2006	HHR1	<44	Mussels
5/8/2006	IOSSI2	258	Mussels
5/8/2006	HHR1	48	Mussels
5/8/2006	ACHB4	55	Surf Clams
5/11/2006	HHR1	<44	Mussels
5/17/2006	HHR1	45	Mussels
5/18/2006	IOSSI2	297	Mussels
5/22/2006	HHR1	<44 (3 mice died before 1 hr)	Mussels
5/24/2006	IOSSI2	89.3	Mussels
5/30/2006	HHR1	<44	Mussels
5/31/2006	IOSSI2	54.8	Mussels
6/6/2006	HHR1	<44	Mussels
6/6/2006	IOSSI2	101	Mussels
6/12/2006	HHR1	47.4	Mussels
6/12/2006	IOSSI2	524	Mussels
6/19/2006	HHR1	46.6	Mussels
6/19/2006	IOSSI2	632	Mussels
6/26/2006	HHR1	<44	Mussels
6/26/2006	IOSSI2	286	Mussels
7/3/2006	HHR1	<44	Mussels
7/11/2006	HHR1	<44	Mussels
7/11/2006	IOSSI2	137	Mussels
7/12/2006	ACHB4	58.4	Surf Clams
7/17/2006	IOSSI2	88	Mussels
7/19/2006	HHR1	<44	Mussels
7/24/2006	HHR1	<44	Mussels
7/24/2006	IOSSI2	<44	Mussels
7/31/2006	HHR1	<44	Mussels
7/31/2006	IOSSI2	<44	Mussels
8/7/2006	HHR1	<44	Mussels
8/8/2006	IOSSI2	<44	Mussels
8/14/2006	HHR1	<44	Mussels
8/14/2006	IOSSI2	<44	Mussels
8/14/2006	ACLBH1	<44	Mussels
8/21/2006	LHWM1	<44	Mussels
8/21/2006	HHR1	<44	Mussels
8/23/2006	IOSSI2	<44	Mussels
8/28/2006	HHWL1	<44	Soft Shell Clams
8/28/2006	HHR1	<44	Mussels
8/30/2006	IOSSI2	<44	Mussels

NH PUBLIC HEALTH LABORATORIES

2006 PSP Samples

COLLECTION DATE	COLLECTION SITE	RESULT (ug poison/100g meat)	SAMPLE TYPE
9/6/2006	HHR1	<44	Mussels
9/11/2006	HHR1	<44	Mussels
9/18/2006	IOSSI2	<44	Mussels
9/19/2006	HHR1	<44	Mussels
9/25/2006	HHR1	<44	Mussels
9/27/2006	IOSSI2	<44	Mussels
10/3/2006	HHR1	<44	Mussels
10/9/2006	HHR1	<44	Mussels
10/15/2006	HHR1	<44	Mussels
10/23/2006	HHR1	<44	Mussels
10/30/2006	HHR1	<44	Mussels
10/30/2006	LHWM1	<44	Mussels