

University of New Hampshire

## University of New Hampshire Scholars' Repository

---

Division 28 – Electronic Safety and Security

Chapter 5 – Technical Construction and  
Renovation Standards

---

4-23-2015

### 280000 - General Electronic Safety and Security Requirements

Stephanie L. Weatherbee

*University of New Hampshire, Durham, s.weatherbee@unh.edu*

Follow this and additional works at: [https://scholars.unh.edu/pdch\\_5\\_28](https://scholars.unh.edu/pdch_5_28)

---

#### Recommended Citation

Weatherbee, Stephanie L., "280000 - General Electronic Safety and Security Requirements" (2015).

*Division 28 – Electronic Safety and Security*. 1.

[https://scholars.unh.edu/pdch\\_5\\_28/1](https://scholars.unh.edu/pdch_5_28/1)

This Article is brought to you for free and open access by the Chapter 5 – Technical Construction and Renovation Standards at University of New Hampshire Scholars' Repository. It has been accepted for inclusion in Division 28 – Electronic Safety and Security by an authorized administrator of University of New Hampshire Scholars' Repository. For more information, please contact [Scholarly.Communication@unh.edu](mailto:Scholarly.Communication@unh.edu).

**SECTION 28 0000 – GENERAL ELECTRONIC SAFETY AND SECURITY REQUIREMENTS**

1.1 SUMMARY

- A. Building Services Identification Labeling – The University has adopted a comprehensive label identification for the distribution systems for all plumbing, fire protection, air, mechanical piping, electrical, fire alarm, controls, telecommunications, audio/visual, and security. The specific label colors, text, and directional flows for each component part are described in a single comprehensive table that is Chapter 5, Appendix A, Building Services Identification labeling. This labeling system must be part of any construction project, even those that are limited to a portion of a building or a single utility system.
- B. See Chapter 5, Division 01, Section 017700.1.1.B.1.i Closeout Procedures - Project Record Documents for equipment list requirements for all equipment provided in this section.
- C. Notes to Designers:

END OF SECTION 28 1000