University of New Hampshire

University of New Hampshire Scholars' Repository

NHAES Bulletin

New Hampshire Agricultural Experiment Station

12-1-1908

Analyses of feeding stuffs and fertilizers, Bulletin, no. 140

Morse, Fred W.

Curry, Bert E.

New Hampshire Agricultural Experiment Station

Follow this and additional works at: https://scholars.unh.edu/agbulletin

Recommended Citation

Morse, Fred W.; Curry, Bert E.; and New Hampshire Agricultural Experiment Station, "Analyses of feeding stuffs and fertilizers, Bulletin, no. 140" (1908). *NHAES Bulletin*. 103. https://scholars.unh.edu/agbulletin/103

This Text is brought to you for free and open access by the New Hampshire Agricultural Experiment Station at University of New Hampshire Scholars' Repository. It has been accepted for inclusion in NHAES Bulletin by an authorized administrator of University of New Hampshire Scholars' Repository. For more information, please contact Scholarly.Communication@unh.edu.



Experiment Station Library.



Class	639.73
Number	N 53
Volume	4
Source	Binding
Received	February 1912
Cost.	1.00
Accession	No. 17648



December, 1908

NEW HAMPSHIRE AGRICULTURAL EXPERIMENT STATION

DEPARTMENT OF CHEMISTRY

Analyses of Feeding Stuffs and Fertilizers

MADE FOR THE STATE BOARD OF AGRICULTURE

1908

FRED W. MORSE and BERT E. CURRY

NEW HAMPSHIRE COLLEGE OF AGRICULTURE AND THE MECHANIC ARTS DURHAM, N. H.

AVERAGE COMPOSITION OF COMMON CATTLE FOODS.

	Water.	Ash.	Protein.	Soluble Carbohy- drates.	Fibre.	Fat.
* Hay, red top	8.9	5.2	7.9	47.4	28.6	1.9
* Hay, Timothy	13.2	4.4	5.9	45.0	29.0	2.5
* Hay, clover	15.3	6.2	12.3	38.1	24.8	3.3
* Hay, Hungarian	7.7	6.0	7.5	49.0	27.7	2.1
* Oat fodder	8.9	6.2	7.6	45.1	29.3	2.8
* Rye fodder, in bloom	8.5	5.9	9.7	43.4	30.2	2.3
* Corn stover	40.1	3.4	3.8	31.9	19.7	1.1
† Corn silage	80.5	1.5	1.6	10.0	5.8	0.6
* Corn, N. H. Flint	10.1	1.5	11.6	70.2	1.1	5.5
* Corn, Western Dent	10.6	1.5	10.3	70.4	2.2	5.0
* Corn meal	15.0	1.4	9.2	68.7	1.9	3.8
¶ Hominy feed	9.0	2.8	11.0	65.0	3.6	8.6
* Oats, whole	11.0	3.0	11.8	59.7	9.5	5.0
¶ Corn and oats, pure	12.0	2.2	9.8	68.5	3.3	4.2
§ Wheat bran, spring	10.6	6.0	16.3	53.0	9.4	4.7
§ Wheat bran, winter	11.7	5.9	15.2	54.8	8.5	3.9
¶ Wheat middlings, white	11.3	2.7	15.8	62.5	3.5	4.2
¶ Wheat middlings, brown	10.6	3.8	17.8	57.0	5.5	5.3
¶ Wheat feed	10.8	4.3	17.0	58.1	5.1	4.7
¶ Gluten feed	8.6	1.2	26.3	58.4	6.9	3.6
¶ Gluten meal	8.8	0.7	35.5	50.3	1.6	3.1
‡ Distillers' Grains	8.8	1.8	32.1	34.9	11.0	11.4
‡ Brewers' Grains	8.0	3.8	23.1	49.4	10.8	4.9
Malt sprouts	11.0	5.8	27.1	42.6	11.9	1.6
¶ Linseed meal, old process	9.8	5.5	33.9	35.7	7.3	7.8
¶ Linseed meal, new process	9.1	5.8	35.2	38.4	8.5	3.0
" Cottonseed meal	6.9	7.2	44.6	25.1	5.6	10.6

* Composition of American Feeding Stuffs. Jenkins and Winton.

† Analyses made at the N. H. Expt. Sta., 1895-1899.

§ Penn, Expt. Sta. Bull. 48.

[¶] Complied from Feed Inspection Reports of various states.

‡ Hatch Expt. Sta. Bull., No. 94.

BULLETIN 140.

ANALYSES OF FEEDING STUFFS AND FERTILIZERS

ANALYSES OF FEEDING STUFFS.

All samples included in the following tables were collected by Mr. A. J. Richardson as agent for the State Board of Agriculture. A few samples received from farmers are mentioned, but are not tabulated with the official ones.

The wheat by-product known as "Mixed Feed" was given especial attention this year, since it is the most widely used of any of the concentrated feeds by the farmers of this state. Seventeen different brands were sampled, and represented the feed as sold in all sections of the state. Half of the lots bore no guarantee of protein and fat, but all were above 15 per cent. in protein and 4 per cent. in fat content. From this standpoint they were all standard material and contained no admixture of corn cob, as some goods have shown in past years.

A microscopical examination of these feeds showed several to contain weed seeds and one sample was found to contain finely eracked corn. Kehlor, Snowflake and Woolcott brands were most noticeable for the weed seeds, which were sufficiently numerous to indicate the use of screenings. It has always been the opinion of this department that it is more economical to purchase bran and middlings, than to purchase mixed feed, on account of both cost and quality.

The mixture of coarse and fine material in one product renders concealment of impurities easy, and there is always a great preponderance of the cheaper by-product in it.

There were also received from farmers a sample of bran from Laconia and a sample of mixed feed from Alton. In the bran was a large proportion of brewers' grains, while the mixed feed contained a quantity of kaffir corn, partially crushed. Neither lot was branded in any way.

The list of mixed feeds and their composition follows:

	Prot	tein.	F	at.
Manufacturer and Brand.	Found.	Guaran- teed.	Found.	Guaran- teed.
Everett Jugsburgh Wasaga Minn			-	
Echo Mixed Feed	15.81	15	5 81	3
Chapin & Co. No brand	15.77	10.	4.41	
Flint Milling Co., Chapin & Co., Agents.				
Vermont Mixed Feed	16.73	14.	5.26	4.
Cressy & Co., Agents, Concord, N. H.		1		
Pillsbury Mixed Feed	16.59	15.	4.89	4.5
Griswold & McKinnon, St. Johnsbury, Vt.	15.00	1	r 00	
X-tragood Mixed Feed	10.80		0+39 4 06	
Holland O'Neil Milling Co. Mt. Vernon, Mo	10.71		3.00	
Cremo Mixed Feed	17.72	15.	4.55	4.50
Kahlor Flour Mills, St. Louis.				
Kahlor Mixed Feed	15.56	14.	4.73	4.
Lawranceburg Roller Mills, Lawrenceburg, Ind.				
Snowflake Mixed Feed	15.09		4.28	
Northwestern Consolidated Milling Co., Minne-				
apoils, Minn.	16 20	15	5 20	4 75
Pillshury-Washhurn Co. Minneapolis	10.30	14.	0.39	4.10
Pillsbury Fancy Mixed Feed	15.50	14.	4.36	4.50
Henry Russell & Co., Buffalo.	10100		1100	1.00
Russell's Regular Wheat Feed	16.67		5.37	
Russell Miller Milling Co., North Dakota.				
Occident Mixed Feed	16.45		4.37	
St. Albans Grain Co., St. Albans, Vt.	10.10		4.05	
Stratton & Co. Concord N. H	16.10	16.	4.87	4.
Rowell's Faney Mixed Food	15 75		4 58	
Thornton Chester Milling Co., Buffalo.	10+10		1+00	
Mixed Wheat Feed	16.76		5.36	
Wagoner Milling Co., Independence, Mo.				
Mixed Feed	15.77		4.28	
Wolcott's Mills, Harrisburg, Ill.				
Wolcott's Mixed Feed	15.10		4.50	
		1		

WHEAT MIXED FEEDS.

Cottonseed and linseed meals were of good quality in all official samples. Two samples of cottonseed meal from Walpole and one from Tilton were received from buyers, who suspected the presence of hulls because of the dark color. In each case, however, the protein was found to be over 41 per cent. A sample of Dixie Brand Cottonseed Meal from Barrington, guaranteed to contain 41 per cent. protein, was found to contain 38 per cent. In this case the manufacturers gave a rebate, which is in accord with their statement on the tags of this brand of meal.

The results found on this group of feeds are in the following table:

	Prot	tein.	Fa	at.
Manufacturer and Brand.	Found.	Guaran- teed.	Found.	Guaran- teed.
F. W. Brodie & Co., Memphis. Owl Brand. Two samples	40.06	41.	10.77	7.
Humphry, Goodwin & Co., Memphis. Dixie Brand. Two samples	41.42	41.	10.37	9.
Hunter Bros. Milling Co., St. Louis. Prime Cotton Seed Meal. Two samples	44.93 40 89	41.	9.32	9.
Lindsay, Wells & Co., Memphls. Sun Brand. J. F. Walker, Memphis.	43.79	41.	8.72	9.
Purity Brand	42.95	41.	8.36	9.

COTTONSEED MEAL.

LINSEED MEAL.

	Pro	tein.	F	at.
Manufacturer and Brand.	Found.	Guaran- teed.	Found.	Guaran- teed.
American Linseed Co. Linseed Oil Meal. Three samples	33.19 35.71 35.75	36.	3.87 2.11 3.27	1.

The group of by-products which comprises gluten feeds, distillers' grains, brewers' grains and hominy feeds were not very satisfactory in their agreement with the guarantees. But one brand of gluten feed and one of brewers' grains of this group equalled the guarantee of protein. The distillers' grains were sufficiently high in fat to offset the deficit in protein. The result of the analyses are on the following page.

The proprietary feeds, which are mixtures of various byproducts, are increasing in numbers and are widely advertised. They may be likened to the mixed fertilizers. They contain protein and fat, but these nutrients are present in a variety of substances, and some of the cheapest mill refuse is used in their preparation, such as screenings from flour mills and linseed eil mills, oat hulls, rice hulls, flax fiber, corn cobs and so forth. Such fillers are of uncertain digestibility and most of them would be unpalatable to livestock if fed separately. In the

[Bulletin 140]

Protein. Fat. Manufacturer and Brand. Guaran-Guaran-Found. Found. teed. teed. Clinton Sugar Refining Co., Clinton, Iowa. Clinton Gluten Feed..... Corn Products Refining Co. 19.79 23. 8.94 3. Warner's Gluten Feed..... 24.26 23. 4.03 2.5 Glucose Sugar Refining Co. Buffalo Gluten Feed..... 21.29 25. 2.66 2.5J. E. Soper, Boston. Bay State Gluten Feed..... 22.55 24. 4.85 4. J. W. Biles Co., Cincinnati. Biles's 4 X Distillers' Grains. Two samples. 30.45 33. 13.52 11. 29.39 14.46 Hottelett & Co., Milwaukee. Holstein Feed (Brewers' Grains)..... 24.13 27. 6.87 6. Schlitz, Milwaukee. Pure Dried Brewers' Grains..... 25.01 24.5 6.44 6.5 Buffalo Cereal Co., Buffalo. Hominy Feed. Hunter Brothers' Milling Co., St. Louis. 9.80 10.25 7.28 8. Hominy Feed... 8.47 5.56

GLUTEN FEEDS, HOMINY FEEDS, DISTILLERS' AND BREW-ERS' GRAINS.

mixtures on the market, they are either saturated with molasses. seasoned with salt or mixed with concentrated material like oil meal, gluten feed and oat meal and thus rendered attractive to animals.

Is it profitable for our farmers to buy such mixtures? It is the opinion of this department that it is extravagant. Meadow hay and corn stover are superior to oat hulls or flax straw and weed seed is too abundant now in our fields. If such feeds are purchased it should be those with the highest percentages of protein and fat.

The poorest feeds in this class were found among the molasses feeds and the flax feeds. These contained many weed seeds, particularly the H-J flax feed, which was also far below its claims in percentages of both fat and protein.

The erude fiber in these materials shows clearly the use of coarse material as a part of the mixture. Sucrene Feed contained 12.1 per cent. fiber, Molae Dairy Feed 14.5 per cent. and H-J Flax Feed 10.7 per cent. No whole grains, except light weight oats, possess 10 per cent. of fiber, while no meals or byproducts exceed this percentage except distillers' grains, which average about 11 per cent.

	Pro	tein.	F	at.
Manufacturer and Brand.	Found.	Guaran- teed.	Found.	Guarah- teed.
J. W. Biles Co. Biles's Ready Ration or Union Grains, two				-
samples	$\begin{array}{c} 23.96 \\ 22.81 \end{array}$	24.	7.43 8.14	7.
Chas. M. Cox Co. Wirthmore Stock Feed	10.14	10.	8.78	4.
Pearl Cooked Horse and Cow Feed	8.84	8.	4.54	3.
Haskell's Stock Feed	7.81	8.	6.72	4.
Proteina Dairy Feed	18.61	20.	5.41	3.5
Schumacher Stoek Feed Vietor Corn and Oats	$10.18 \\ 10.27$	10.	$5.29 \\ 3.74$	4.
J. W. Barwell, Waukegan, Ill. Blatchford's Calf Meal	26.59	25.	4.42	5.
Baum's Horse and Stock Food	19.70	••••	*3.00	

COMPOUND FEEDS.

* Fat calculated after removal of sulphur.

MOLASSES FEEDS.

	Pro	tein.	F	at.
Manufacturer and Brand.	Found.	Guaran- teed.	Found.	Guaran- teed.
American Milling Co. Sucrene Dairy Feed	17.38	16.5	5.65	3.5
Molae Dairy Feed, two samples	$13.34 \\ 13.51$	15.5	$\substack{4.42\\4.13}$	3.

FLAX FEED.

	Pro	tein.	F	at.
Manufacturer and Brand.	Found.	Guaran- teed.	Found.	Guaran- teed.
H. Jennings & Co., Boston. H-J Flax J ² eed, three samples	10.44 13.16 15.30	17.	9.89 9.97 11.99	

The poultry feeds on the market may be divided into two principal groups, one consisting entirely of animal matter; and the other including the various mixtures, mashes and scratching feeds, some of which are wholly from cereals and others include both cereals and animal matter.

In the purchase of mashes, the buyer should scrutinize the material carefully for excess of fiber in the form of oat hulls or similar waste. II-O and American Poultry Foods contained respectively 5.50 per cent. and 4.50 per cent. of fiber, while Wirthmore Mash Feed contained 12 per cent. A glance at the three would show what might appear to be oats ground with the other material, but in the last case, not even light weight oats alone should show as much as 12 per cent. fiber; hence, oat hulls must be inferred as forming a part of the mixture.

Manufacturer and Brand.		tein.	F	at.
Animal Matter.	Found.	Guaran- teed.	Found.	Guaran- teed.
American Agricultural Chemical Co				
Bradley's Superior Meat Meal	33.61	30.	16.92	5.
Darling's Bone Meal	23.78		5.89	
Ground Beef Scraps	43.96	40.	15.93	15.
Armour & Co.				
Armour's Beef Scraps	60.10		14.30	
Almour's blood Meal	80.40	1	1+74	
Pure Ground Reef Scraps	40.27	40.	17.91	20.
Bowker Fertilizer Co.	10.21	101	11.001	200
Bowker's Animal Meal	48.18	40.	9.75	5.
Hinckley Rendering Co.				
Beef Scraps, two samples	33.87	40.	12.69	10.
	35.36		12.39	
George E. Marsh, Lynn, Mass.	20.57	26	0.60	9
Swift's Lowell Fortilizer Co	09.01	50.	5.00	0.
Swift's Lowell Beof Scraps	40.36	40	15.26	15.
Mixtures, Mashes, etc.	10.00			
C. M. Cox Co.				
Wirthmore Mash Feed	13.52	20.	5.04	3.6
Thomas W. Emerson.		_		
Emerson's Chick Feed	10.18	9.	4.07	4.
H-O Company.	10.14	17	5 79	5 50
W K Kimball Boobostor N H	10.14	17.	0.14	0.00
Kimball's Poultry Food	20.01		5.95	
Carroll S. Page, Hyde Park, Vt.	20101		0.00	
Page's Perfected Poultry Food, two samples	20.27	24.	7.31	8.
	22.64		7.68	
Quaker Oat Co.				0.5
American Poultry Food	10.62	12.	5.72	3.5
Raiston Mills Co. Buring Alfalfa Moal	15.40	15	3 10	1.5
ruma Anana Mean	10.40	10.	0.19	1.0

POULTRY FEEDS.

236

ANALYSES OF FERTILIZERS.

All samples of commercial fertilizers were collected by Mr. A. J. Richardson as agent for the State Board of Agriculture. The list of licensed brands remains about the same from year to year and, therefore, there are each year about one hundred brands collected and analyzed.

A number of brands have a limited sale and are missed some years, while others are found generally distributed over the state.

The noticeable feature of the fertilizers this year was the number of brands which were slightly low in nitrogen. In the majority of such instances, the valuation of the fertilizer was made good by an excess in either phosphoric acid or potash.

This depression in nitrogen was most noticeable in the lower priced goods, and is another argument for purchasing the most concentrated material offered. It is interesting at this point to compare the amounts of plant food guaranteed to be sold for \$15 in some of the leading fertilizers during the year. The sum of \$15 is selected, because it was calculated from the Census of 1900, and the current prices of fertilizers, that it was the average amount spent annually for fertilizers by each farmer in the state.

Prices per ton.	Per cent. nitrogen.	Per cent. phos.acid.	Per cent. potash.	Pounds fertilizers.	Pounds nitrogen.	Pounds phos.acid.	Pounds potash.
\$40.00	3.3	10.	7.	750	243	75.	$52\frac{1}{2}$
40.00	3.3	8.	7.	750	21	60.	$52\frac{1}{2}$
40.00	8.3	6.	10.	750	24	45.	75
40.00	3.7	7.	8.5	750	$27\frac{1}{3}$	$52\frac{1}{2}$	637
33.00	2 5	9.	2.	909	223	814	18.1
33.00	2.5	6.	5.	909	223	511	$45\frac{1}{2}$
30.00	2.0	8.	1.5	1,000	20	80	15
30.00	2.0	8.	3.	1,000	20	80	30
28.00	1.	8.	2.	1,071	10.7	85.7	$21\frac{1}{2}$

AMOUNTS OF PLANT-FOOD BOUGHT FOR \$15.00.

It is easy to see by this method of comparison that the man who bought the \$40-fertilizer got more nitrogen, phosphoric acid and potash for his money than he who bought any cheaper brands, and he who bought the lowest priced goods got least for his money.

N. H. AGR. EXPERIMENT STATION. [Bulletin 140

Composition of Commercial F	rtiliz	ers S	laco	led a	nd A	zhipu	ed in	3061					
		NITRO	GEN.			ц	HdSOH,	ORIC 2	Actb.			POTA	S11.
	.9		Tot	al.		.1	Availa	ble.	•e	Tota	ıl.		.b99
MANUFACIUKEK AND BRAND.	iasztoal	.oiargaO	.baud.	Guaran- teed.	.9ldulo2	Reverted	.bnuo3	Guaran- teed.	oldulosal	.bauo4	Guaran- Ieed.	.bano3	Guarant
ABBOTT & MARTIN CO.										-			
Harvest King		1.19	$1.05 \\ 1.19$	1.20	3.55 5.35	5.43 2.45	8.98 7.80	8	$1.62 \\ 1.05$	8.85		4.06 6.42	24
AMERICAN AGRICULTURAL CHEMICAL CO.							~~~						
Bradley's Complete Manure with 10 % Potash	1.91	1.76	3.67	3.30	5.30 9.90	1.75	7.05	Gr	2.25	9.30	- 9	9.97	10 2.5
Bradley's Complete manure for 100 Dressing	.55	1.39	1.94	2.06	6.80	1.53	8.33	000	2.37	10.70	01	1.92	1.5
Bradley's Eclipse Phosphate Bradley's Potato Fertilizer	.68	1.16	1.84	2.06	1.55	2.63	7.18	000	3.27	10.45	22:	3.59	.0.
Bradley's Seeding Down Manure	1.31	1.27 1.28	2.48	2.5	6.55	2.13	8.68	5) 6) 6	21.2	11.45	==:	2.31	22
Clark's Cove Bay State Fertilizer, G. G Clark's Cove Potato Fertilizer.	.59 .66	1.26 1.31	1.97	$2.06 \\ 2.06$	6 60 3.00	1.13	7.73	∞ ∞	2.47 2.52	10.20	22	3.32	- en
Cleveland Fertilizer for all Crops		1.12 1.13	$1.12 \\ 2.02$	1.03	4.55	2.38	8.98	~~~	$2.12 \\ 2.75$	11.10	22	3.29	20
Cleveland Superphosphate	46	1.6.1	2.37	2.06	4.35	3.58	7.93	æ œ	2.67	10.60	0 6	2.34	1.5
Crocker's Corn Floxphate					2.10	3.65	10.75	°=°	1.50	12.25		2.21	20
Crocker's New Rival Ammoniated Superphosphate	- 88	1.25 1.02	1.20	2.06	4.50	3.28	7.78	000	2.27	10.05		3.75	~~;
Crocker's Special Potato Manure	1.46	1.95 1.26	$3.41 \\ 1.26$	3.3	4.80	2.00 1.55	6.80 8.70	م ص	2.07 1.65	10.35	10	2.31	26
Cumberland Potato Fertilizer	.87	1.19	2.06	2.06	6.30	3.20	9.50	æœ	2.10	11.60	22	3.29	3.5
Cumberland Superphosphate	52.	1.87	2.02	2,06	6.90	1 20	8.10		2.25	10.35	22	3.26	
Great Eastern General Fertilizer	1.16	1.90	$1.69 \\ 3.06$	3.3	3.60	4.60	8.20	~~;	2.00 1.45	9.65	6	7.36	5 ~ C
Great Eastern Grass and Oats Fertilizer.		* * * * * *			3 -18	7.7.7	10.70	-	07.7	1 06.71	•••••	01.2	7

	480333-104 10333-104	33-1-5	1022243 1022243 10222	4-2-5-3-1-5-1-5-1-5-1-5-1-5-1-5-1-5-1-5-1-5
1.93 7.33 5.27 9.83 9.84 8.52 4.46 4.40	$ \begin{array}{c} 2 & 0.4 \\ 1.95 \\ 2.46 \\ 3.45 \\ 5.16 $	5.05 2.40 3.52 5.1.0 5.1.0	$\begin{array}{c} 2.33\\ 2.33\\ 2.57\\ 2.32\\ 2.57\\ 2.02\\ 2.60\\ 0.60\\ \end{array}$	4.19 2.60 2.67
8872	1000-500	2222 ®	00 <u>0</u> ~000 <u>-</u> 0~	01 10.5 10
10.25 8.40 9.57 9.57 9.57 9.57 10.45 10.45 10.50 8.45 9.65	11.27 9.75 9.75 9.75 9.75	9.95 10.95 10.30 10.80 10.90	10.65 10.30 11.65 8.70 10.25 10.25 8.70 8.70 8.70	$\begin{array}{c} 10 & 25 \\ 10.20 \\ 9.30 \\ 9.10 \end{array}$
$\begin{array}{c} 2.40\\ 1.65\\ 2.87\\$	2.52 2.52	2.00 1.92 2.57 2.57 2.05 1.25	2.10 2.52 2.52 2.52 2.52 2.52 2.52 2.52 2.52 2.52 1.45 1.55 1.20 1.55 1.50 1.501	1.45 1.55 1.27 1.07
° ∞∞∞∞∞∞∞∞∞		88888	သလင္လာလလလင္လာလ က	84.79
7.75 6.75 6.75 7.50 6.33 7.75 6.33 6.33 7.75 6.33 7.75 6.33 7.75 6.30 7.75 7.75 7.75 7.75 7.75 7.75 7.75 7.7	10.49 9.25 9.25 7.68 7.68 7.33 7.33 7.33 7.33	9.03 9.03 8.00 8.23 8.85 8.85	8.55 7.98 9.13 8.27 8.20 8.20 9.90 9.90 9.35 7.05	8.80 8.65 8.03 8.03
$\begin{array}{c} 2.10\\ 2.85\\ 2.85\\ 1.33\\ 2.85\\ 2.35\\ 2.26\\ 2.25\\ 4.48\\$	4.74 3.80 3.80 1.90 1.90 2.33 2.33 2.33 2.33 2.33 2.33 2.33 2.3	2.13 2.13 5.50 4.15	$\begin{array}{c} 1.95\\ 1.78\\ 2.18\\ 2.18\\ 2.18\\ 2.10\\ 4.05\\ 4.30\\ 1.95\end{array}$	3.00 4.70 4.58 3.73
$\begin{array}{c} 5.75\\ 5.05\\ 5.05\\ 5.05\\ 5.25\\$	5.45 5.45 5.45 5.45 5.45 5.45 5.45 5.45	5.20 6.20 6.10 3.35 10.90	6.60 6.20 6.20 6.20 6.20 6.10 6.10 6.10 6.10 5.05 5.10	5.80 3.45 3.45 4 30
2.06 2.41 2.41 2.41 2.41 2.41 2.41 2.41 2.41	25-06 2-06 82 82 82 82 82 82 82 82 82 82 82 82 82	2.06 2.06 2.06 .82 .82	2.47 2.47 2.47 2.47 2.47 3.33 3.3	1.65 1.23 .80
$\begin{array}{c} 1.88 \\ 4.99 \\ 1.47 \\ 2.75 \\ 2.33 \\ 2.33 \\ 2.36 \\ 1.92 \\ 1.$	2.17 1.96 1.93 2.93 1.50 1.36 1.36	2.11 1.88 1.93 1.93 1.32 1.5.10	$\begin{array}{c} 1.60\\ 1.50\\ 2.37\\ 2.37\\ 2.13\\ 2.12\\ 3.54\end{array}$	$ \begin{array}{c} 1.60 \\ 1.57 \\ 1.02 \\ 1.42 \end{array} $
$\begin{array}{c} 1.29\\ 3.34\\ 1.47\\ 1.47\\ 1.19\\ 1.91\\ 1.47\\ 1.39\\ 1.39\\ 1.39\\ 1.47\\ 1.39\\ 1.47\\ 1.39\\ 1.47\\ 1.39\\ 1.47\\ 1.39\\ 1.47\\$	1.50 1.37 1.37 1.37 1.36	1.42	$\begin{array}{c} 1.01\\96\\ 1.21\\ 1.47\\ 1.47\\ 1.22\\ 1.58\\ 2.48\end{array}$	$ \begin{array}{c} 1.60 \\ 1.10 \\ 1.42 \\ 1.42 \end{array} $
.59 .57 .53 .53 .53 .53	.51 .55 .95	.67 .63 .51	.59 .54 1.16 .69 .54 .54	47
Great Eastern Northern Corn Special Darling's Mood, Fone and Potash. Darling's General Fortilizer Darling's General Fortilizer Darling's Potato Manure. Patific Brade Fertilizer with 10 per cent. Potash. Patific Potato Special. Pateker's Union Animal Corn Fertilizer. Packer's Union Cardner's Complete Manure. Packer's Union Potato Manure.	Packer's Union Whert, Oats and Clover Fertilizer, Quimpiae Corm Manure	wear s vegeuone and vine retruitzer solubble Statific Guano Williams & Clark Americus Corn Phosphate Williams & Clark Americus Potato Manure Muriate of Potash Nitrate of Soda Plain Superphosphate	Bowker's Corn Phosphate Bowker's Rarn and Garden Phosphate Bowker's Rarn and Garden Phosphate Bowker's Market Garden Fertilizer. Bowker's Potato or Staple Phosphate Bowker's Potato and Vegetable Fertilizer. Bowker's Potato and Vegetable Phosphate Bowker's Streto and Vegetable Phosphate Bowker's Streto Phosphate Bowker's Streto Phosphate Bowker's Streto Phosphate Bowker's Streto Phosphate Bowker's Streto Phosphate Bowker's Streto Phosphate Stockbridge Manure for Potatoes and Vegetables	 E. Frank Coe's Celebrated Special Potato Fertilizer. D. Frank Coe's Columbian Corn and Potato Fertilizer. E. Frank Coe's New England Corn and Potato Fertilizer. B. Frank Coe's XXV Annoniated Bone Phosphate.

	ASH.	Guaranteed.			101 30		80000		64		4		6.15 3.75 7.8
	PoT	.bano3			$9.64 \\ 9.10 \\ 2.40 \\ 2.65 \\ 2.65 \\ 10 \\ 10 \\ 10 \\ 10 \\ 10 \\ 10 \\ 10 \\ 1$		2.63 7.14 2.35 3.93 3.93 2.19		2.49 4.87		4.33		7.29
	PHOSPHORIC ACID.	To tal.	Guaran- teed.		9.5 9		= ⁶⁸⁶⁶		00 00		10		7.25 15. 9.5
			.bauo4		$\begin{array}{c} 10.45\\ 13.15\\ 14.20\\ 13.85\end{array}$		$12.30\\10.00\\10.15\\9.40\\9.40\\10.70$		$^{8.20}_{11.55}$		11.15		
		.sldulosal			$\begin{array}{c} 3.07 \\ 5.92 \\ 6.90 \\ 6.32 \end{array}$		2.52 1.90 2.22 2.20 1.92 2.35 2.35		.50 3.86		2.97		$\begin{array}{c} 4.07\\ 9.25\\ 2.52\end{array}$
		Available.	Guaran- teed.		~98:		000~886		~ ~		8		4.75 7.5 8.
			.bauo3		7.38 7.53 7.53		$\begin{array}{c} 9.78 \\ 8.10 \\ 7.95 \\ 7.48 \\ 8.35 \\ 8.35 \end{array}$		02.7 7.69		8.18		4.85 5.95 8.35
		Reverted.			$\begin{array}{c} 2.93\\ 3.48\\ 6.35\\ 6.38\\ 6.38\end{array}$		5.78 2.15 1.98 2.45 2.45 3.50		2.05 3.34		3.33		$3.50 \\ 3.43 \\ 2.10 \\ 2.10 \\ 10 \\ 10 \\ 10 \\ 10 \\ 10 \\ 10 \\ 10 \\$
		.9ldulo3			$ \begin{array}{r} 4.45 \\ 3.75 \\ 0.95 \\ 1.15 \end{array} $		$ \begin{array}{c} 4.00\\ 5.95\\ 6.70\\ 5.15\\ 4.85\\ 4.85 \end{array} $		5.65		4.85		$ \begin{array}{c} 1.35 \\ 2.52 \\ 6.25 \end{array} $
	NITROGEN.	11.	Guaran- teed.		3.25 3.25 2.		3.3 .83 1.65 1.24		1.22		2.46		5.10 2.45 3.45
		Tota	.bauo3		3.06 1.10 2.26 2.65		2.68 1.69 2.12 1.74		1.15		2.62		5.45 2.29 3.64
		Organic.			2.26 2.75 1.79		1.34 1.69 1.20 1.04		1.15		2.62		$ \begin{array}{c} 1.56 \\ 1.03 \\ 2.19 \end{array} $
		.oinszionl			.80 1.35 .47		1.34 82 .70				:		$3.89 \\ 1.26 \\ 1.45$
	MANUFACTURER AND BRAND.		ESSEX FERTILIZER COMPANV.	Essex Complete Manure for Corn and Grain	LISTER'S AGRICULTURAL CHEMICAL WORKS.	Lister's Animal Bone and Potash. Lister's Potato Manure. Lister's Special Special Lister's Special Corn Fertilizer Lister's Special Potato Fertilizer Lister's Special Potato Fertilizer.	NEW ENGLAND FERTILIZER CO.	Corn and Grain Fertilizer	PARMENTER & POLSEY FERTILIZER CO.	Plymouth Rock Brand	J. W. SANBORN.	Sanborn's Grass and Grain	

Composition of Commercial Fertilizers Sampled and Analyzed in 1908.-Concluded.

.

	06642-3
_	3.39 1.47 2.89 4.38 6.38 6.38 9.20
	o
	9 15 7.70 9.85 9.80 9.80 9.80 9.80 9.80 9.80 9.80
	1.85 92 1.35 1.37 1.57 1.95 1.95
-	8~~~8~~
_	7.30 6.78 6.78 6.95 7.98 8.03 7.85 6.88
_	$\begin{array}{c} 2.45\\ 2.23\\ 2.28\\ 2.28\\ 1.33\\ 3.25\\ 2.08\\ 2.08\\ \end{array}$
	$\begin{array}{r} \textbf{4.85} \\ \textbf{4.55} \\ \textbf{4.55} \\ \textbf{4.90} \\ \textbf{5.70} \\ \textbf{6.70} \\ \textbf{4.60} \\ \textbf{4.80} \\ \textbf{4.80} \end{array}$
	1.64
	$ \begin{array}{c} 1.90\\ .93\\ .93\\ 1.91\\ 1.91\\ 2.76\\ 3.85\\ 3.85 \end{array} $
	$\begin{array}{c} 1.90 \\ .93 \\ 1.91 \\ 1.91 \\ 2.238 \\ 3.90 \\ 2.21 \end{array}$
	.38
SWIFT'S LOWELL FERTILIZER CO.	Swift's Lowell Bone Fertilizer. Swift's Lowell Geneal Fertilizer. Swift's Lowell Empress Brand Swift's Lowell Potato Manure Swift's Lowell Potato Manure. Swift's Supecial Grass Mixture. Swift's Superior Fertilizer.

MA	TERIALS	AND	CHEMIC	CALS,	1908	3.	
					С	ents pe	r. pound.
Nitrogen in an	imonia sal	lts .					17.5
·· nit	rates						18.5
" dr	y and fine	e ground	l fish, n	ieat ar	nd blo	od,	
8	and in hig	h grade	mixed f	fertiliz	ers		20.5
`` fin	e ground	bone ar	nd tanka	ige			20.5
•• me	edium gro	und bor	e and ta	ankago	э.		15.
Phosphorie acid	l soluble	in wate	r.				5.
	"	amm	onium	eitra	te (re-	
		vert	ed).				4.5
	in fine a	ground	bone, fis	sh and	tanka	age	4.
	in eoars	se bone	and tan	kage			3.
	in eotto	nseed m	eal. east	or-pon	lace. a	and	
	wood a	shes .	,		, .		4.
دد دد	insolubl	e in mi	xed fert	ilizers			2.
Potash as sulp	hate free	from c	hlorides	and	in wo	bod	
ashes		arom (, and			5.
Potosh as muri	ato		•		·		4 25
i otasn as muri	are .	• •	•	•	•	•	1,40

TRADE VALUES OF FERTILIZING INGREDIENTS IN RAW

The above values are based on the wholesale market price for the materials, when sold in large lots at the principal trade centers in New England. The valuation of a ton of any mixed fertilizer based on the above figures will usually fall ten dollars below the retail price at the local agency. This variation includes such fixed charges as cost of mixing, bags, cartage, and freight, salaries and commissions of agents, and interest.

NEW HAMPSHIRE AGRICULTURAL EXPERIMENT STATION.

PUBLICATIONS AVAILABLE FOR DISTRIBUTION.

- No. 2. Feeding Experiments.
- No. 3. When to Cut Corn for Ensilage.
- No. 4. The Science and Practice of Stock-Feeding.
- No. 5. Fertilizers and Fertilizing Materials.
- No. 6. Experiments with Fertilizers.
- No. S. Feeding Experiments. Part 1. Principles of Feeding. Part 2. Corn Meal, Middlings, Shorts and Cotton-Seed Compared.
- No. 11. Pig Feeding. Part 1. Results of Feeding Skim Milk and Corn Meal versus Corn Meal and Middlings. Part 2. Digestion Experiment.
- No. 12. Fertilizer Experiments.
- No. 14. Ensilage and Dairy Farming.
- No. 16. Effect of Food on Composition of Butter Fat.
- No. 17. Stock Feeders' Guide.
- No. 1S. Effect of Food on Milk.
- No. 19. Spraying Apples and Pears against Fungi.
- No. 20. Effect of Food on Milk. Feeding with Fats.
- No. 21. Farmyard Manures and Artificial Fertilizers.
- No. 22. Prevention of Potato Blight.
- No. 23. Some Dangerous Fruit Insects.
- No. 24. The Flow of Maple Sap.
- No. 25. The Composition of Maple Sap.
- No. 26. Analysis of Fertilizers and Wood Ashes.
- No. 27. Spraying Experiments in 1894.
- No. 28. Remedies for the Horn Fly.
- No. 29. Remedies for Flea Beetles.
- No. 30. An Experiment in Road Making.
- No. 31. Seventh Annual Report. 1895.
- No. 32. Studies of Maple Sap.
- No. 33. Two Shade-Tree Pests.
- No. 34. Surface and Sub-Irrigation out of Doors.
- No. 36. Analyses of Three Common Insecticides.
- No. 37. Crimson Clover.
- No. 39. The Army Worm.
- No. 40. Eighth Annual Report. 1896.
- No. 41. Potatoes: Varieties, Fertilizers, Scab.
- No. 42. Part 1. Tomato Growing in New Hampshire. Part 2. Notes on Tomato Breeding.
- No. 44. The Cankerworm.
- No. 45. Fruit and Potato Diseases.
- No. 46. Part 1. An Experiment with a Steam Drill. Part 2. Methods of Road Maintenance.
- No. 56. Polsonous Properties of Wild Cherry Leaves.
- No. 57. Forage and Root Crops.
- No. 64. The Forest Tent Caterpillar.
- No. 66. Experiments in Pig Feeding.
- No. 67. The Spiny Elm Caterpillar.
- No. 68. Eleventh Annual Report. 1899.
- No. 69. Inspection of Fertilizers in 1898.

- No.
- Twelfth Annual Report. 1900. No. 79.
- 80. Inspection of Fertilizers in 1900. No.
- No. 82. Feeding Farm Horses.
- No. 83. Value of Meadow Muck.
- No. S4. Forcing Dwarf Tomatoes.
- Remedies for the Cankerworm. No. 85.
- Growing Watermelons in the North. Classification of Watermelons. No. 86.
- Thirteenth Annual Report. 1901. No. 87.
- No. 88, Inspection of Fertilizers, 1901, Analyses of Ashes, etc.
- No. 89, The Squash Bug.
- 90. Insect Record for 1901. No.
- Killing Woodchucks with Carbon Bisulphide. No. 91.
- Silage Studies. No. 92.
- No. 93. The Cold Storage of Apples.
- No. 94. Remedies for Fleas.
- No. 96, Fourteenth Annual Report, 1902,
- No. 99. Selected List of Vegetables for the Garden.
- No. 101. Fungous Diseases and Spraying.
- No. 102, Insect Record, 1902,
- No. 103. Standard Milk.
- No. 104. Fifteenth Annual Report. 1903.
- No. 105. Fruit Growing. Varieties for N. H.
- No. 106. Forestry.
- No. 108. Inspection of Fertilizers.
- No. 109. San Jose Scale,
- No. 110. Orchard Management in New England.
- No. 111. Experiments with Potatoes and Potato Culture.
- No. 112. Remedies for the Black Fly.
- Experiments in Pig Feeding. No. 113.
- The Babcock Test for N. H. Dairymen. No. 114.
- Inspection of Fertilizers, 1904. No. 117.
- No. 118. Tile Drainage.
- No. 119. Forestry.
- The Dairy Industry in New Hampshire. No. 120.
- The Gypsy Moth in New Hampshire. No. 121.
- Vegetable' Novelties. No. 125.
- No. 126. The Care of Composite Milk Samples.
- No. 127. The Feeding of Farm Stock.
- No. 129. Seventeenth and Eighteenth Annual Reports.
- No. 130, Inspection of Fertilizers, 1906.
- No. 131. Spraying the Apple Orchard.
- A Plan for Improving the Quality of Milk and Cream Furnished to No. 132. New Hampshire Creameries.
- No. 133. Inspection of Feeding-Stuffs. 1907.
- No. 134. Fertillzer Analyses, 1907.
- No. 135. The Respiration of Apples and Its Relation to Their Keeping.
- No. 136. The Gypsy and Brown-Tail Moths in New Hampshire,
- Strawberries for New Hampshire. No. 137.
- No. 138. Humus in New Hampshlre Soils.
- No. 139. Caterpillars Injuring Apple Foliage in Late Summer.

ADDRESS :

NEW HAMPSHIRE AGRICULTURAL EXPERIMENT STATION,

DURHAM, N. H.

.

...

639.73 N53 4 New Stampshire 639.73 N 53 4

