

University of New Hampshire

University of New Hampshire Scholars' Repository

Physics Scholarship

Physics

3-2013

Towards in situ correlation of atomic structure and device functionality in graphene-based devices

Shawna M. Hollen

University of New Hampshire - Main Campus

N M. Santagata

Ohio State University - Main Campus

Justin R. Young

University of New Hampshire - Main Campus, Justin.Young@unh.edu

Jay A. Gupta

Ohio State University - Main Campus

Ezekiel Johnston-Halperin

Ohio State University - Main Campus

Follow this and additional works at: https://scholars.unh.edu/physics_facpub



Part of the [Physics Commons](#)

Recommended Citation

<http://meetings.aps.org/link/BAPS.2013.MAR.A7.12>

This Conference Proceeding is brought to you for free and open access by the Physics at University of New Hampshire Scholars' Repository. It has been accepted for inclusion in Physics Scholarship by an authorized administrator of University of New Hampshire Scholars' Repository. For more information, please contact Scholarly.Communication@unh.edu.

Abstract Submitted
for the MAR13 Meeting of
The American Physical Society

Towards *in situ* correlation of atomic structure and device functionality in graphene-based devices S. M. HOLLEN, NANCY SANTA-GATA, JUSTIN YOUNG, JAY GUPTA, EZEKIEL JOHNSTON-HALPERIN, Ohio State University, CENTER FOR EMERGENT MATERIALS TEAM — The use of scanned probe microscopy to study atomic-scale phenomena is well established; however, there is a gap in our understanding of how atomistic studies connect to macroscopic measurements such as electron and spin transport. This gap is of particular importance to 2D materials such as graphene, germanane and MoS₂ due to the extreme sensitivity to defects, adatoms, and local electronic inhomogeneities. We present work towards the integration of low temperature scanning tunneling microscopy (STM) with *in situ* transport measurements on nanoscale graphene devices in ultrahigh vacuum. Challenges we are addressing include (i) fabricating devices small enough that a sufficient fraction of the surface can be modified within the small scan range typical of STM, (ii) design of alignment electrodes for locating the devices with STM, and (iii) modification of the STM hardware to integrate electron transport measurements. We anticipate that being able to correlate device transport measurements with atomic scale characterization and modification of the graphene surface will allow us to address the importance of the local environment to device functionality.

Shawna Hollen
Ohio State University

Date submitted: 09 Nov 2012

Electronic form version 1.4