

University of New Hampshire

University of New Hampshire Scholars' Repository

Physics Scholarship

Physics

3-2013

Transport Behavior of Ultrathin Films with NanoThickness Undulations in the Strongly Localized Regime

J C. Joy
Brown University

Shawna M. Hollen
University of New Hampshire - Main Campus

C Zhao
Brown University

G. E. Fernandes
Brown University

J M. Xu
Brown University

See next page for additional authors

Follow this and additional works at: https://scholars.unh.edu/physics_facpub



Part of the [Physics Commons](#)

Recommended Citation

<http://meetings.aps.org/link/BAPS.2013.MAR.Y35.5>

This Conference Proceeding is brought to you for free and open access by the Physics at University of New Hampshire Scholars' Repository. It has been accepted for inclusion in Physics Scholarship by an authorized administrator of University of New Hampshire Scholars' Repository. For more information, please contact Scholarly.Communication@unh.edu.

Authors

J C. Joy, Shawna M. Hollen, C Zhao, G. E. Fernandes, J M. Xu, and J M. Valles Jr.

Abstract Submitted
for the MAR13 Meeting of
The American Physical Society

Transport Behavior of Ultrathin Films with NanoThickness Undulations in the Strongly Localized Regime¹ J.C. JOY, S.M. HOLLEN, C. ZHAO, Department of Physics, Brown University, G. FERNANDES, J.M. XU, Division of Engineering, Brown University, J.M. VALLES, JR., Department of Physics, Brown University — Recent work on thin films of superconducting material grown on anodized aluminum oxide (AAO) has revealed the existence of a Cooper Pair Insulator (CPI), a state in which superconducting pair correlations survive, but with activated transport dominated by electron pairs. AFM data has revealed that the AAO substrates have a regular undulating structure, which causes films to grow with predictable variations in thickness. These thickness undulations, which have a spatial period greater than the superconducting coherence length, work to localize Cooper pairs in the insulating state. To gain insight into the properties of the normal state of the CPI, we are investigating the transport properties of Copper films grown on AAO substrates. Early data indicate activated transport with activation energies of approximately 20 K in the most insulating films.

¹This work was supported by the NSF through grants No. DMR-0605797 and DMR-0907357 and by the AFRL, the ONR, the AFOSR, and the WCU program at SNU, Korea.

James Joy
Department of Physics, Brown University

Date submitted: 08 Nov 2012

Electronic form version 1.4