


A New Take On the Shape of Solar Phenomena

UNH researchers: Slinky-like shapes in question

Thursday, August 30, 2018



AN IMAGE FROM NASA SOLAR DYNAMICS OBSERVATORY SATELLITE SHOWS AN EXAMPLE OF A COMMONLY BELIEVED SLINKY-LIKE SHAPED CORONAL MASS EJECTION THAT TRAVELED 900 MILES PER SECOND, CONNECTING WITH EARTH'S MAGNETIC ENVIRONMENT AND CAUSING AURORA TO APPEAR FOUR DAYS LATER ON SEPT., 3 2012. PHOTO CREDIT: NASA/GSFC/SDO

SUBSCRIBE TO THE UNH TODAY NEWSLETTER

SUBSCRIBE TO UNH TODAY RSS

RELATED LINKS

[Here Comes the Sun](#)

[Interstellar Winds Buffeting Our Solar System Have Shifted Direction](#)

[UNH Researchers Land Roles in NASA Mission to Study Outer Solar System](#)

As the saying goes, everything old is new again. While the common phrase often refers to fashion, design or technology,

scientists at UNH have found there is some truth to this mantra even when it comes to research. Revisiting some older data, the researchers discovered new information about the shape of coronal mass ejections (CMEs) — large-scale eruptions of plasma and magnetic field from the sun — that could one day help protect satellites in space as well as the electrical grid on Earth.

“Since the late 1970s, coronal mass ejections have been assumed to resemble a large Slinky — one of those spring toys — with both ends anchored at the sun, even when they reach Earth about one to three days after they erupt,” said Noe Lugaz, research associate professor in the [UNH Space Science Center](#). “But our research suggests their shapes are possibly different.”

Knowing the shape and size of CMEs is important because it can help better forecast when and how they will impact Earth. While they are one of the main sources for creating beautiful and intense auroras, like the northern and southern lights, they can also damage satellites, disrupt radio communications and wreak havoc on the electrical transmission system causing massive and long-lasting power outages. Right now, only single point measurements exist for CMEs making it hard for scientists to judge their shapes. But these measurements have been helpful to space forecasters, allowing them a 30-to-60 minute warning before impact. The goal is to lengthen that notice time to hours — ideally 24 hours — to make more informed decisions on whether to power down satellites or the grid.

"Coronal mass ejections have been assumed to resemble a large Slinky...but our

In their [study](#), published in the *Astrophysical Journal Letters*, the researchers took a closer look at data from two NASA spacecraft, Wind and ACE, typically orbiting upstream of Earth. They analyzed the data of 21 CMEs over a two-year period

research suggests
their shapes are
possibly different."

between 2000 and 2002 when Wind had separated from ACE. Wind had only separated one percent of one astronomical unit (AU), which is the distance from the sun to the Earth (93,000,000 miles). So, instead of now being in front of Earth, with ACE, Wind was perpendicular to the Sun-Earth line, or on the side.

"Because they are usually so close to one another, very few people compare the data from both Wind and ACE," said Lugaz. "But 15 years ago, they were apart and in the right place for us to go back and notice the difference in measurements, and the differences became larger with increasing separations, making us question the Slinky shape."

The data points toward a few other shape possibilities: CMEs are not simple Slinky shapes (they might be deformed or something else entirely), or CMEs are Slinky shaped but a much smaller scale (roughly four times smaller) than previously thought.

While the researchers say more studies are needed, Lugaz says this information could be important for future space weather forecasting. With other missions being considered by NASA and NOAA, the researchers say this study shows that future spacecraft may first need to investigate how close to the Sun-Earth line they have to remain to make helpful and more advanced forecast predictions.

This research was supported by NASA and the National Science Foundation.

**Interested in a career in space?
Learn more.**


WRITTEN [Robbin Ray '82](#) | Communications and Public Affairs |

RELATED ARTICLES



July 1, 2021 | GRANTS AND CONTRACTS NEWS

UNH Researchers Receive \$1.2M Grant to Study Seasonal Soil Freeze and Thaw



September 17, 2021 | GRANTS AND CONTRACTS NEWS

UNH Scientists Receive \$1M to Support Critical Soil Sustainability Research



April 22, 2021 | COLLEGE OF ENGINEERING & PHYSICAL SCIENCES

Three Students Awarded SMART Scholarship



University of New Hampshire

UNH Today is produced for the UNH community and for friends of UNH.

The stories are written by the staff of **UNH Communications and Public Affairs**.

Email us: unhtoday.editor@unh.edu.

MANAGE YOUR SUBSCRIPTION **CONTACT US**



UNH Today • UNH Main Directory: 603-862-1234
Copyright © 2022 • TTY Users: 7-1-1 or 800-735-2964 (Relay NH)

[USNH Privacy Policies](#) • [USNH Terms of Use](#) • [ADA Acknowledgement](#)

