

# Repurposing Drug Compound Could Slow COVID Spread

Acts to inhibit “molecular scissors” that lets virus replicate

Tuesday, June 21, 2022



HARISH VASHISTH, ASSOCIATE PROFESSOR OF CHEMICAL ENGINEERING. PHOTO BY BROOKS PAYETTE.

With the end of the pandemic seemingly nowhere in sight, scientists are still very focused on finding new or alternative drugs to treat and stop the

 SUBSCRIBE TO THE UNH TODAY NEWSLETTER

 SUBSCRIBE TO UNH TODAY RSS

spread of COVID-19. In a first-of-its-kind study, UNH researchers found that using an existing drug compound in a new way, known as drug repurposing, could be successful in blocking the activity of a key enzyme of the coronavirus, or SARS-CoV-2, which causes COVID-19.



KRISZTINA VARGA, ASSOCIATE PROFESSOR OF MOLECULAR, CELLULAR AND BIOMEDICAL SCIENCES. PHOTO BY JEREMY GASOWSKI.

“The goal was to slow or prevent the spread of the virus by using a strategic therapeutic that could possibly disrupt key steps in the viral life cycle at the molecular level, like the first contact with a healthy cell or the first step in replicating within an infected cell,” says [Harish Vashisth](#), associate professor of chemical engineering. Vashisth’s Ph.D. student, Jacob Andrzejczyk ’22G, is lead author of the study.

In the [study](#), recently published in the journal *PROTEINS: Structure, Function, and Bioinformatics*, researchers set out to target a key enzyme responsible for COVID-19, called the main protease enzyme M<sup>pro</sup>, which has become a primary target of intense research and therapeutic development because it is essential for the virus to replicate. In this case, they explored the inhibiting properties of a derivative of the potent chemical compound known as thiadiazolidinones, or TDZD, which are already being studied as a potential treatment for neurological

disorders such as Parkinson's disease.

“The goal was to slow or prevent the spread of the virus by using a strategic therapeutic that could possibly disrupt key steps in the viral life cycle at the molecular level.”

M<sup>pro</sup> enzyme.

Researchers used a specific TDZD compound, known as CCG-50014, to target M<sup>pro</sup>, which acts like a molecular scissor by cutting up long chains of polypeptide proteins of the virus into smaller component proteins. These smaller segments can fold and mature to form new virus particles. Using molecular dynamics simulations combined with laboratory experiments, the researchers determined that TDZD compound was able to inhibit the

“Coronaviruses, like COVID-19, are a notorious group of infectious agents that include a large class of viruses with RNA genomes, similar to the human DNA genome, that depend on well-organized protein structures crucial for viral growth and replication,” says Vashisth. “These viruses can develop rapid defenses at the cellular level by orchestrating these layers, or folding mechanisms, in viral proteins so the key is to find a way to shut them down.”

RNA viruses are known for causing seasonal epidemics, like influenza, and can appear as novel virus strains with high fatality rates (COVID-19, SARS, Zika and Ebola). Researchers say the need for an alternative drug development pipeline, instead of the intensive process of introducing new drugs to market, is illustrated by the high infection rate of COVID-19 (compared to previous coronaviruses) and is important for a long-term effective response to new and reoccurring outbreaks.

In addition to Vashisth and Andrzejczyk, additional UNH co-

authors on the study are [Krisztina Varga](#), associate professor of molecular, cellular and biomedical sciences, graduate students Katarina Jovic and Logan Brown and undergraduate researcher Valerie Pascetta '22, all in molecular, cellular and biomedical sciences.

This research was supported by grants from the National Institutes of Health under award numbers R35GM138217, P20GM113131, and the National Science Foundation under award number OIA-1757371. The content is solely the responsibility of the authors and does not necessarily represent the official views of the funders. Vashisth and Varga's initial collaboration was funded in part by a [UNH Collaborative Research Excellence](#) grant.

WRITTEN [Robbin Ray '82](#) | Communications and Public Affairs |  
BY: [robbin.ray@unh.edu](mailto:robbin.ray@unh.edu) | 603-862-4864

RESEARCH

## RELATED ARTICLES

---



November 18, 2021 | RESEARCH

## Treating Diabetes with Snail Venom?

---



February 22, 2022 | GRANTS AND CONTRACTS NEWS

## Boosting Biomanufacturing

---



July 13, 2022 | GRANTS AND CONTRACTS NEWS

# Sequencing Variants



**University of New Hampshire**

UNH Today is produced for the UNH community and for friends of UNH.

The stories are written by the staff of **UNH Communications and Public Affairs**.

Email us: [unhtoday.editor@unh.edu](mailto:unhtoday.editor@unh.edu).

**MANAGE YOUR SUBSCRIPTION**  **CONTACT US**



UNH Today • UNH Main Directory: 603-862-1234  
Copyright © 2022 • TTY Users: 7-1-1 or 800-735-2964 (Relay NH)

[USNH Privacy Policies](#) • [USNH Terms of Use](#) • [ADA Acknowledgement](#)

