

7-7-2016

## 102800 - Toilet and Bath Accessories

Sandra Hickey  
sandra.hickey@unh.edu

Follow this and additional works at: [http://scholars.unh.edu/pdch\\_5\\_10](http://scholars.unh.edu/pdch_5_10)

---

### Recommended Citation

Hickey, Sandra, "102800 - Toilet and Bath Accessories" (2016). *Division 10 – Specialties*. 10.  
[http://scholars.unh.edu/pdch\\_5\\_10/10](http://scholars.unh.edu/pdch_5_10/10)

This Article is brought to you for free and open access by the Chapter 5 – Technical Construction and Renovation Standards at University of New Hampshire Scholars' Repository. It has been accepted for inclusion in Division 10 – Specialties by an authorized administrator of University of New Hampshire Scholars' Repository. For more information, please contact [nicole.hentz@unh.edu](mailto:nicole.hentz@unh.edu).

---

## 102800 - Toilet and Bath Accessories



## SECTION 10 2800 - TOILET AND BATH ACCESSORIES

### 1.1 SUMMARY

- A. Section Includes:
  - 1. Washroom accessories.
  - 2. Shower room accessories.
  - 3. Warm-air dryers.
  - 4. Childcare accessories.
  - 5. Custodial accessories.

### 1.2 QUALITY ASSURANCE

- A. Electrical Components, Devices, and Accessories: Listed and labeled as defined in NFPA 70, by a qualified testing agency, and marked for intended location and application.

### 1.3 COORDINATION

- A. Coordinate accessory locations with other work to prevent interference with clearances required for access by people with disabilities, and for proper installation, adjustment, operation, cleaning, and servicing of accessories

### 1.4 MATERIALS

- A. Stainless Steel: ASTM A 666, Type 304, 0.031-inch (0.8-mm) minimum nominal thickness unless otherwise indicated.
- B. Steel Sheet: ASTM A 1008/A 1008M, Designation CS (cold rolled, commercial steel), 0.036-inch (0.9-mm) minimum nominal thickness.
- C. Galvanized-Steel Sheet: ASTM A 653/A 653M, with G60 (Z180) hot-dip zinc coating.
- D. Galvanized-Steel Mounting Devices: ASTM A 153/A 153M, hot-dip galvanized after fabrication.
- E. Fasteners: Screws, bolts, and other devices of same material as accessory unit and tamper-and-theft resistant where exposed, and of galvanized steel where concealed.
- F. Chrome Plating: ASTM B 456, Service Condition Number SC 2 (moderate service).
- G. Mirrors: ASTM C 1503, Mirror Glazing Quality, clear-glass mirrors, nominal 6.0 mm thick.



- H. ABS Plastic: Acrylonitrile-butadiene-styrene resin formulation.

## 1.5 WASHROOM ACCESSORIES

### A. Manufacturers:

1. A & J Washroom Accessories, Inc.
2. American Specialties, Inc.
3. Bobrick Washroom Equipment, Inc.
4. Bradley Corporation.
5. GAMCO Specialty Accessories; a division of Bobrick Washroom Equipment, Inc.
6. Tubular Specialties Manufacturing, Inc.
7. Rubbermaid.

- B. Toilet Tissue (Roll) Dispenser: Furnished by University, Installed by Contractor.

- C. Paper Towel (Roll) Dispenser: Furnished by University, Installed by Contractor.

- D. Waste Receptacle: Freestanding. Rubbermaid.

- E. Liquid-Soap Dispenser: Furnished by University, Installed by Contractor.

### F. Grab Bar:

1. Basis-of-Design Product: Bobrick Series B-6806.99, or B-68137.99.
2. Mounting: Flanges with concealed fasteners.
3. Material: Stainless steel, 0.05 inch (1.3 mm) thick.
  - a. Finish: Smooth, No. 4 finish (satin) on ends and slip-resistant texture in grip area.
4. Outside Diameter: 1-1/2 inches (38 mm).

### G. Vendor:

1. Basis-of-Design Product: Bobrick B-3500.
2. Type: Sanitary napkin and tampon.
3. Mounting: Fully recessed, designed for 4-inch (100-mm) wall depth.
4. Exposed Material and Finish: Stainless steel, No. 4 finish (satin).
5. Lockset: Tumbler type with separate lock and key for coin box.

### H. Sanitary-Napkin Disposal Unit:

1. Basis-of-Design Product: Rubbermaid Model 6140.

### I. Mirror Unit:

1. Basis-of-Design Product: Bobrick B-290 Series.



2. Frame: Stainless-steel angle, 0.05 inch (1.3 mm) thick.

#### 1.6 WARM-AIR HAND DRYERS

1. Basis-of-Design Products: Xlerator Model XL-SB-ECO - Excel Dryer Corporation; SMARTdri Model K-974 – World Dryer; Toto Clean Dry HDR 101

#### 1.7 CHILDCARE ACCESSORIES

- A. Product: Model KB100-00; Koala Kare Products; a division of Bobrick Washroom Equipment, Inc.

#### 1.8 CUSTODIAL ACCESSORIES

- A. Mop and Broom Holder:

1. Basis-of-Design Product: Bobrick B-224 x 36.
2. Description: Unit with shelf, hooks, holders, and rod suspended beneath shelf.
3. Length: 36 inches (914 mm).
4. Hooks: Three.
5. Mop/Broom Holders: Four, spring-loaded, rubber hat, cam type.
6. Material and Finish: Stainless steel, No. 4 finish (satin).
  - a. Shelf: Not less than nominal 0.05-inch- (1.3-mm-) thick stainless steel.
  - b. Rod: Approximately 1/4-inch- (6-mm-) diameter stainless steel.

#### 1.9 FABRICATION

- A. Keys: Provide universal keys for internal access to accessories for servicing and resupplying. Provide minimum of six keys to University.

#### 1.10 INSTALLATION

- A. Grab Bars: Install to withstand a downward load of at least 250 lbf (1112 N), when tested according to ASTM F 446.

#### 1.11 ADJUSTING AND CLEANING

- A. Adjust accessories for unencumbered, smooth operation. Replace damaged or defective items.
- B. Remove temporary labels and protective coatings.



- C. Clean and polish exposed surfaces according to manufacturer's written recommendations.

END OF SECTION 10 2800